PRICE LIST 2019

CONTENTS

16 PELLET > STOVES
74 PELLET > GLASS-FRONTED FIREPLACES > VIVO
83 PELLET > VIVO > FIREPLACES
86 PELLET > INSERTS
88 PELLET > GENERAL ACCESSORIES
91 PELLET > COMFORT AIR STOVES > ACCESSORIES

96 WOOD > GLASS-FRONTED FIREPLACES > PLASMA
102 WOOD > GLASS-FRONTED FIREPLACES > FORMA
104 WOOD > GLASS-FRONTED FIREPLACES > VIVO
106 WOOD > INSERTS
107 WOOD > GLASS-FRONTED FIREPLACES > HYDRO
108 WOOD > COMFORT AIR SLIM
112 WOOD > COMFORT AIR BASIC
118 WOOD > GENERAL ACCESSORIES
121 WOOD > GLASS-FRONTED FIREPLACES > HYDRO > GENERAL ACCESSORIES
124 WOOD > FIREPLACES
130 WOOD > STOVES
138 WOOD > COMFORT AIR STOVES > ACCESSORIES
140 WOOD > STOVES > GENERAL ACCESSORIES

144 GAS > GLASS-FRONTED FIREPLACES
145 GAS > FIREPLACES
147 GAS > GLASS-FRONTED FIREPLACES > GENERAL ACCESSORIES
148 GAS > COMFORT AIR SLIM
149 GAS > COMFORT AIR BASIC

TECHNOLOGIES

DOUBLE WI-FI SUPPLIED AS STANDARD
2 Wi-fi modules have been designed for products equipped with Maestro technology, allowing a priority connection to your smartphone and / or handheld remote control and a second connection to the home internet network (via router).

EXCLUDABLE VENTILATION
The No air function in ventilated heaters, allows to totally exclude or to minimally reduce the forced ventilation of the heater, thus ensuring the utmost silence and all the pleasure of heat spread out in the environment by natural convection.

NATURAL FLAME
Latest-generation pellet products feature a large flame with a more natural movement and truly beautiful to look at.

IGNITION IN 3 MINUTES
Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.

WEEKLY ASH EMPTYING
The high capacity of the ash drawer allows the stove to be used for a week without emptying (average power consumption, 8 hours/day operation).

STRUCTURE COMPLETELY SEALED
Products built with Oyster technology do not consume oxygen by taking all the air from the environment outside so therefore can be placed inside every home properly insulated and within passive houses.

NOISE-FREE
"Still" technology products are designed to eliminate every source of noise or vibration inside the stove and completely block out any noise from ventilation.

BRUSHLESS
Thanks to advanced technology, the new brushless gear motor guarantees high sound comfort (almost no noise) and substantial energy savings (consumption 90% lower compared to traditional motors). Used both in the pellet loading system and in the automatic brazier cleaning system (Hydro Matic and Comfort Air Matic systems).

MATIC

1 / Automatic self-cleaning brazier with comb mechanism for a more effective cleaning

2 / Dedicated brushless engine

3 / Utmost combustion efficiency thanks to the electronics that defines the mechanical cleaning in regular cycles or in case of blockages

4 / Availability both on water and high power air versions (14 kW)

5 / Ash pan allowing the emptying on a weekly basis or beyond

MANY SOLUTIONS TO TAKE ADVANTAGE OF ALL THE SPACE AVAILABLE IN YOUR HOME

CONFINED SPACES
Thanks to a very limited depth, these products are particularly suitable in small rooms or hallways.

USE OF OLD FIREBOXES
These products are designed to be able to use old fireboxes that do not work and/or do not heat, thanks to a limited height (stoves) and the possibility of being incorporated (chimneys).

USE OF EXISTING FLUES
Thanks to the presence of an upper flue outlet, these stoves can take advantage of the existing flues, thereby optimising the living space and reducing installation costs.



CORNER SOLUTIONS
Stoves designed to take advantage of the corners in a home, which are generally used very little.



WALL-MOUNTED INSTALLATIONS
This is the classic solution: installed in front of a wall (stove) or inserted into the wall (chimney), these products blend in perfectly with the architecture of the room.



SEPARATION OF ROOM
Products that have two or three exposed sides, which allow for a view of the fire from separate rooms, thereby optimising the living space.

ALL OPERATING SYSTEMS

1_PANEL
A simplified solution, with easy and intuitive functions, suited to those preferring a truly simple solution.

2_REMOTE CONTROL
_This is a remote control with few buttons and lots of functions. In addition to the normal daily/weekly programming functions, you can program different temperatures in different time slots during the day. Since the temperature can be read exactly in the spot where it is left (thermostat function), the comfort level is assured.

3_SMARTPHONE AND TABLET
In addition to the traditional panel or remote control, through a dedicated application (App), it is possible to manage and programme the stove from your smartphone or tablet, inside or outside of the house: for maximum comfort (requires an accessory kit; compatible with the systems Android / iOS). With all models, it is nevertheless possible to manage the main functions via text message (this requires an accessory kit).

COMBUSTION CONTROL SYSTEMS

maestro

THE FIRST OPERATING SYSTEM FOR A STOVE, NOW EVEN MORE ADVANCED

THE MOST ADVANCED HEAT EXPERIENCE

Maestro technology allows the heater to express its utmost potential with even an easier and more intuitive use. A real integrated micro-computer dialogues with your smartphone and further improve the performances of the heater that continues to perfectly work even in non-ideal conditions.

1 / WI-FI TEMPERATURE PROBE
2 / REMOTE DIAGNOSTIC
3 / EASY AND COMPLETE APP
4 / DOUBLE WI-FI INCLUDED
5 / HANDHELD REMOTE CONTROL
6 / DIGITAL PANEL
7 / PERFECT FLAME

active

THE BEST COMBUSTION
Thanks to the extremely reliable and accurate sensor inside the oven, the oxidising air is constantly adjusted according to the quantity of pellets present in the brazier, thus ensuring effective and efficient combustion, which translates into lower consumption, lower emissions and much less frequent cleaning.

INSTALLATION EASINESS
The combustion is effective and efficient regardless of the type of chimney connection which with conventional systems can be a problem during installation.

THE TYPE OF PELLET ISN'T A PROBLEM ANYMORE
Because the stoves equipped with the Active system adapt automatically to any pellet length and with the diameter of 6-8 mm.

active

NEW USER INTERFACES
Thanks to Active+, it is possible to control and communicate with the stove from your smartphone or tablet.

IMPROVED SILENCE
As the new pellet stoves that are equipped with Active+ are able to manage a more evolved gear motor (in continuous operation), they are even quieter.

TECHNOLOGIES

COMBUSTION CONTROL SYSTEMS

DUCTED AIR

DIFFUSER POSITIONABLE UP TO 8 METRES, FREELY
Comfort Air® can effectively carry the warm air (80°C) into other rooms up to a maximum distance of 8 meters. Unlike traditional systems in which the jets must be positioned at the top, Comfort Air® allows the jets to be freely positioned.

TOTAL AIR DISTRIBUTION CONTROL
Fitting an electronic control unit, Comfort Air® can control up to two air flows (in closed fireplaces) to distribute heat and convey warm air into various rooms.

EASE OF INSTALLATION AND MAINTENANCE
With a significantly smaller diameter than other models on the market (60 mm and 100 mm), Comfort Air® ensures easier installation of the funnel into the wall, consequently limiting the necessary masonry works, which often take time and are very invasive, and making the fans easier to maintain.

THE FIRST DESIGN DIFFUSERS
Comfort Air® is fitted with air distribution outlets that, for the first time, offer a true design piece. These outlets are ideal for integration into any furnishing, with their minimalist design and exclusive light and aromatherapy function that makes them unique on the market.

FORCED VENTILATION

A TRULY COMPLETE RANGE
To satisfy all requirements, in terms of power and operative functions.

CONVECTION VERSIONS

NATURAL HEAT
Unlike a normal pellet stoves with forced ventilation, here the heat is diffused in a natural way via convection. Every technical detail has been designed to exchange all the heat in the room.

WATER

HOT RADIATORS FAST
Thanks to low thermal inertia, Hydro pellet stoves, once on, are able to heat your domestic radiators in just a few minutes (for some models there are also kits for connection to the hot water system).

MAXIMUM HEAT EXCHANGE
About 90% of power rendered overall by the stove is transferred to the water guaranteeing excellent performance who those choosing radiators for domestic heating.

OVERNIGHT

HEAT AND BURNING EMBERS FOR UP TO 12 HOURS AFTER THE LAST WOOD FILLING OPERATION
In stoves featuring Overnight technology, a mass of refractory material stores the heat produced by the fire and releases it over time. With 4 kg of wood (with the stove already lit), the temperature released by the stove is still 40° after 12 hours.

ALL THE PLEASURE OF RADIANT HEAT
With Overnight technology, the heat stored by the mass of refractory material in the stove is released uniformly over time throughout the room.

SYMBOLS USED

Nominal heat output

Efficiency

Diameter of smoke outlet pipe

Weight

Dimensions - width x depth x height

Fluid heat output

Minimum room volume

Hourly consumption

Fire box dimensions

Right corner

Left corner

Right corner with bench

Left corner with bench

Wall with right-hand bench

Wall with left-hand bench

Wall

Semi-recessed wall

45° corner

45° corner with right-hand bench

45° corner with left-hand bench

● Standard ○ Optional

	active	active	maestro					kit wi-fi	stil											PELLET
p.32			●	●		○	●			●	●		●	●	●	●			●	Ego / Star Air
p.32			●	●		○	●			●	●		●	●	●	●		●	●	Ego / Star Comfort Air
p.34			●	●		○	●				●	●	●		●		●			Ego Hydro Matic NEW
p.38			●	●		○	●				●	●	●		●		●			Star Hydro Matic NEW
p.40			●	●		○	●			●	●		●	●	●	●			●	Suite / Club / Musa Air
p.40			●	●		○	●			●	●		●		●	●		●●	●	Suite / Club / Musa C/Air
p.40			●	●		○	●				●	●	●		●	●		●●		Suite / Club / Musa C/Air Matic
p.50			●	●		○	●				●	●	●		●		●		●	Suite Hydro Matic NEW
p.46			●	●		○	●				●	●	●		●		●		●	Club Hydro Matic NEW
p.42			●	●		○	●				●	●	●		●		●		●	Musa Hydro Matic NEW
p.16			●	●		○	●			●	●		●	●	●	●			●	Wall NEW
p.16			●	●		○	●				●		●	●	●	●			●	Wall Angle NEW
p.25			●	●		○	●				●		●	●	●	●			●	Loop
p.18			●	●		○	●				●		●	●	●	●		●	●	Curve
p.20			●	●		○	●				●		●	●	●	●		●	●	Mood
p.19			●	●		○	●				●		●	●	●	●			●	Berg NEW
p.22			●	●		○	●			●	●		●	●	●	●			●	Halo
p.29			●	●		○	●				●		●	●	●	●		●	●	Aike
p.27			●	●		○	●				●		●	●	●	●		●	●	Klin
p.28			●	●		○	●				●		●	●	●	●		●	●	Tilda
p.52			●	●		○	●			●	●		●	●	●	●		●	●	Reflex

p.56			●	●		○	●			●	●		●		●	●		●●	●	Doc
p.54			●	●		○	●			●	●		●		●	●		●●	●	Linea
p.60			●	●		○	●			●	●		●	●	●	●		●●	●	Stream NEW
p.61		●		○		●		○		●							●			Flux
p.58				○	○	●		○		●	●				●	●		●	●	Raam
p.59			●	●		○	●			●	●		●		●	●		●	●	Ray
p.57			●	●		○	●			●	●		●	●	●	●		●●	●	Philo 14
p.61	●			○	●			○		●								●●		Philo 9
p.66			●	●		○	●			●			●	●	●	●			●	Decò NEW
p.70			●	●		○	●			●			●	●	●	●			●	Cute NEW
p.68			●	●		○	●			●			●	●	●	●			●	Thema NEW
p.30			●	●		○	●						●	●	●	●			●	Tecla NEW
p.31			●	●		○	●						●	●	●	●			●	Alyssa NEW
p.65				○	○	●		○						●	●	●			●	Amy
p.65				○	○	●		○			●			●	●	●			●	Giò
p.64				○	○	●		○			●			●	●	●		●	●	Maggie
p.64				○		●		○			●				●		●		●	Clio Hydro
p.72		●		○	●			○	●										○	Cap
p.62			●	●		●	●				●	●	●		●		●			Jazz NEW
p.74		●		○	●			○										●●		Vivo 90 Comfort Air
p.76			●	●		○	●						●		●	●		●●		Vivo Maestro 90 9 C/Air NEW
p.78			●	●		○	●						●		●	●		●●●		Vivo Maestro 90 11 C/Air NEW
p.80	●			○	●													●●		Vivo 80 Comfort Air
p.82	●					●											●			Vivo 80 Hydro
p.82		●				●											●			Vivo 85 Hydro
p.86			●	●		○	●						●		●	●			●	Boxtherm 70/60 Maestro

OVERVIEW OF STOVES - TECHNICAL PRODUCTS

PELLET

AIR >

BOXTHERM 60
5,9 kW
p. 86

TECLA
6,3 kW
p. 30

ALYSSA
6,3 kW
p. 31

AMY
6,3 kW
p. 65

CUTE
8 kW
p. 70

THEMA
8 kW
p. 68

DECÒ
8 kW
p. 66

GIÒ
8 kW
p. 65

WALL
8,1 kW
p. 16

WALL ANGLE
8,1 kW
p. 16

COMFORT AIR >

RAAM
7,8 kW
p. 58

RAY
7,8 kW
p. 59

REFLEX
7,8 kW
p. 52

CURVE
8,1 kW
p. 18

MOOD
8,1 kW
p. 20

KLIN
8,1 kW
p. 27

AIKE
8,1 kW
p. 29

LINEA
8,8 kW
p. 54

DOC
8,8 kW
p. 56

VIVO 90 C/AIR 9 MAESTRO
8,8 kW
p. 76

HYDRO >

EGO HYDROMATIC
11,8 kW
p. 34

STAR HYDROMATIC
11,8 kW
p. 38

CLIO
16,2/22,8 kW
p. 64

FLUX
16 kW
p. 61

MUSA HYDROMATIC
16,1/23,9 kW
p. 42

SUITE HYDROMATIC
16,1/23,9 kW
p. 50

CLUB HYDROMATIC
16,1/23,9 kW
p. 46

VIVO 80 PELLET HYDRO
16,9 kW
p.82

VIVO 85
22,3 kW
p. 82

JAZZ
28,5 kW
p. 62

STILL >

CAP
8 kW
p. 72

WOOD

PLASMA >

PLASMA 75 W
12,5 kW
p. 97

PLASMA 95B W
12,9 kW
p. 99

PLASMA 115B W
12,6 kW
p. 99

PLASMA 95 W
13,3 kW
p. 96

PLASMA 85 W
13,3 kW
p. 97

PLASMA 115 W
14,1 kW
p. 96

PLASMA 75 DX/SX W
15,5 kW
p. 98

PLASMA 95 DX/SX W
14,8 kW
p. 98

PLASMA 50T W
15,7 kW
p. 100

PLASMA 95T W
13,2 kW
p. 100

HYDROTHERM >

HYDROTHERM 70 DX/SX
21,2 kW
p. 107

HYDROTHERM 70V
21,2 kW
p. 107

STOVES >

BAHR
7 kW
p. 133

NOGAL
7 kW
p. 136

VELD
7 kW
p. 134

SAVA
7 kW
p. 135

STRIPE OVERNIGHT
7,2 kW
p. 130

THOR
7,2 kW
p. 130

STUB
7,2 kW
p. 131

STUB OVERNIGHT
7,2 kW
p. 132

NADIR
8 kW
p. 137

KASAI
9 kW
p. 134

GAS

GLASS-FRONTED FIREPLACES >

FORMA 95 G
6,4 kW
p. 144

FORMA 115 G
7,2 kW
p. 144

BERG
8,1 kW
p. 19

LOOP
8 kW
p. 25

HALO
HALO UP!
8,1 kW
p. 22

EGO
EGO UP!
8,1 kW
p. 32

STAR
STAR UP!
8,1 kW
p. 36

BOXTHERM 70
8,8 kW
p. 87

MUSA
MUSA UP!
10 kW
p. 40

SUITE
SUITE UP!
10 kW
p. 48

CLUB
CLUB UP!
10 kW
p. 44

PHILO
9 kW
p. 61

EGO
EGO UP!
10 kW
p. 32

STAR
STAR UP!
10 kW
p. 36

MAGGIE
10 kW
p. 64

TILDA
10 kW
p. 28

VIVO 90 PELLET
10,5 kW
p. 74

VIVO 80 PELLET
10,5 kW
p. 80

VIVO 90 C/AIR 11
MAESTRO
10,9 kW
p. 78

SUITE
SUITE UP!
11,9/13,8kW
p. 48

CLUB
CLUB UP!
11,9/13,8 kW
p. 44

MUSA
MUSA UP!
11,9/13,8 kW
p. 40

STREAM
12,1 kW
p. 60

PHILO 14
13,8 kW
p. 57

FORMA >

FORMA
B95 W
10,2 kW
p. 102

FORMA
65 W
10,5 kW
p. 102

FORMA
75 DX/SX W
10,6 kW
p. 103

VIVO >

VIVO
70 W
11 kW
p. 104

VIVO
90 W
11 kW
p. 104

INSERTS >

BOXTHERM
70
8 kW
p. 106

BOXTHERM
80
9 kW
p. 106

OVERVIEW OF FIREPLACES

PELLET

VIVO

SAHARA

p. 84

FRAME

p. 83

PRIME

p. 83

NOBI

p. 82

WOOD

PLASMA/FORMA/HYDRO

GUTTUSO

p. 124

KLEE

p. 125

DE CHIRICO

p. 125

GAUGUIN

p. 126

GOYA

p. 126

RIMINI

p. 129

VIVO

SAHARA

p. 105

MOON

p. 127

LINE

p. 128

PRIME

p. 129

GAS

NATURAL

p. 145

GAGUIN

p. 145



KLEE

p. 146

DE CHIRICO

p. 146

SAHARA > VIVO 90 WOOD

PELLET

maestro

NEW

WALL
WALL ANGLE

POWER	%	Ø	Kg	
kW 8,1	90,9/92,6%	Ø cm 8	kg 132/136/129	cm 52 x 62,6 x 125,2 cm ø 52 x 125,2

maestro · no air · xl · quick start · oyster · brush less

Model: *WALL AIR 8 M1*
WALL AIR 8 UP! M1
WALL ANGLE AIR 8 M1

A+ · ECODESIGN 2022 · 7* · aria PULITA

Conto Termico 2.0

Pellet stove without front outlets made of black steel with base available in different finishes (Black, Stone, Terrazzo, Beton grey, Wood). The unique design of the structure that is placed against the wall hides the technical connection elements of the stove, thereby giving it an ultra-clean look.
A round version is also available for corner applications (WALL ANGLE). Possibility to totally exclude the ventilation. Product equipped with ceramic glow plug ensuring ignition times reduced by 40%. Rear or top outlet. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

design Patricia Urquiola

	DESCRIPTION/CODE		€
STRUCTURE			
	Wall Air 8 M1	7119031	**3.410,00**
	Wall Air 8 UP! M1	7119036	**3.510,00**
	Wall Angle Air 8 M1	7119037	**3.320,00**
BASE			
	Black metal_303	6919018	**140,00**
	Beton	6919019	**210,00**
	Stone	6919020	**380,00**
	Terrazzo	6919021	**720,00**
	Wood	6919022	**600,00**
INTERFACES			
	Maestro smartphone app	Free download	-
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	Only for WALL ANGLE model 4018009	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
	Temperature probe featured as standard on the machine	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	4018005	**78,00**

WALL ANGLE:
AVAILABLE STARTING NOVEMBER

WALL

CURVE

POWER				
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 170	cm 56 x 56 x 120

maestro

maestro · no air · xl · quick start · oyster · brush less

ECODESIGN 2022 · A+

Model: CURVE COMFORT AIR 8 M1

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove without front vents, with coloured ceramic cladding and particularly suitable for corner installation.The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.

MATERIALS:
Glass: front door
Cast iron: brazier, combustion chamber
Ceramic: cladding

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 8 M1	7118045	**2.860,00**
CLADDING			
	Black ceramic_107	6916001	**760,00**
	Warm grey ceramic_113	6916002	**760,00**
	Bordeaux ceramic_105	6916003	**760,00**
	White ceramic_102	6916019	**760,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Black "LOW" ash pan Optional.	4017018	**46,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

NEW **BERG**

POWER				
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 170	cm 56 x 56 x 120

maestro

maestro · no air · xl · quick start · oyster · brush less

ECODESIGN 2022 · A+ *Model: BERG AIR 8 M1* · Conto Termico 2.0

PRODUCT TYPE:
Minimalist design and fine details. In addition to the natural property of the stone to store and release heat slowly, this stove has forced ventilation, therefore the room can be heated up quickly. A product with excludable ventilation, weekly ash emptying and reduced ignition times. Intelligent Maestro electronics always ensure optimised combustion.

MATERIALS:
Glass: front door
Cast iron: brazier, combustion chamber
Pietra Serpentino: cladding

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 8 M1	7119038	**4.580,00**
INTERFACES			
	Maestro smartphone app	Free download	-
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
	Black "LOW" ash pan Optional.	4017018	**46,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

AVAILABLE STARTING OCTOBER

MOOD

POWER	%	Ø	Kg	
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 132	cm 52 x 52 x 120

maestro

no air · quickstart · oyster · xl · comfort air

ECODESIGN 2022 · A+

Model: MOOD COMFORT AIR C/MAESTRO

Conto Termico 2.0

PRODUCT TYPE:
Round pellet stove with minimalist design, thanks to the absence of front vents. Suitable for corner installation, with top in black coated aluminium and steel sides. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.

MATERIALS:
Steel: structure
Glass: door
Aluminium: top

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303	Comfort Air c/Maestro	7116017M	**3.225,00**
Bronze metal_305	Comfort Air c/Maestro	7116019M	**3.225,00**
Silver metal dark_317	Comfort Air c/Maestro	7116018M	**3.225,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018009	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
Comfort Air® accessories To build a Comfort Air® channelling system > p. 91	Comfort Air®		
Black "LOW" ash pan Optional.		4017018	**46,00**

WHILE STOCKS LAST

NEW MOOD

POWER	%	Ø	Kg	
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 132	cm 52 x 52 x 120

maestro

maestro · no air · xl · quick start · oyster · brush less

ECODESIGN 2022 · A+

Model: MOOD COMFORT AIR 8 M1

Conto Termico 2.0

PRODUCT TYPE:
Round pellet stove with minimalist design, thanks to the absence of front vents. Suitable for corner installation, with top in black coated aluminium and steel sides. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.

MATERIALS:
Steel: structure
Glass: door
Aluminium: top

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303	Comfort Air 8 M1	7118042	**3.225,00**
Bronze metal_305	Comfort Air 8 M1	7118044	**3.225,00**
Silver metal dark_317	Comfort Air 8 M1	7118043	**3.225,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018009	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
Comfort Air® accessories To build a Comfort Air® channelling system > p. 91	Comfort Air®		
Black "LOW" ash pan Optional.		4017018	**46,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**

AVAILABLE STARTING NOVEMBER

HALO

POWER				
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 130	cm 52 x 52 x 120

maestro

no air · quickstart · oyster · xl

ECODESIGN 2022 · A+ *Model: HALO*

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with no front vents, made in black steel with a coloured front panel. Particularly suitable for corner installation. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.
UP! New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.

MATERIALS:
Steel: structure
Cast iron: brazier

	DESCRIPTION/CODE	€
STRUCTURE		
Air	7116014M	**2.515,00**
CLADDING		
Black metal_303	6916015	**185,00**
Silver metal_313	6916016	**185,00**
Aluminium metal_315	6916017	**185,00**
Bordeaux metal_304	6916018	**185,00**
INTERFACES		
Maestro smartphone app	Free download	-
Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES		
Temperature probe featured as standard on the machine	Supplied as standard	-
WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES		
Black "LOW" ash pan Optional.	4017018	**46,00**

! WHILE STOCKS LAST

NEW HALO

POWER	%	Ø	Kg	
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 130	cm 52 x 52 x 120

maestro

no air · xl · quickstart · oyster · brushless

ECODESIGN 2022 · A+

Model: HALO AIR 8 M1

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with no front vents, made in black steel with a coloured front panel. Particularly suitable for corner installation. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.
UP! New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.

MATERIALS:
Steel: structure
Cast iron: brazier

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 8 M1	7118040	**2.515,00**
CLADDING			
	Black metal_303	6916015	**185,00**
	Silver metal_313	6916016	**185,00**
	Aluminium metal_315	6916017	**185,00**
	Bordeaux metal_304	6916018	**185,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018009	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
	Black "LOW" ash pan Optional.	4017018	**46,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

AVAILABLE STARTING OCTOBER

NEW

HALO UP!

POWER	%	Ø	Kg	
kW 8,1	90,9 % 92,6%	Ø cm 8	kg 130	cm 52 x 52 x 120

maestro

maestro · no air · xl · quick start · oyster · brush less

ECODESIGN 2022 · A+

Model: HALO AIR 8 UP! M1

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with no front vents, made in black steel with a coloured front panel. Particularly suitable for corner installation. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.
UP! New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.

MATERIALS:
Steel: structure
Cast iron: brazier

	DESCRIPTION/CODE		€
STRUCTURE			
Air 8 UP! M1UF	Female smoke outlet	7119013	**2.760,00**
CLADDING			
Black metal_303		6916015	**185,00**
Silver metal_313		6916016	**185,00**
Aluminium metal_315		6916017	**185,00**
Bordeaux metal_304		6916018	**185,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
Black "LOW" ash pan Optional.		4017018	**46,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**

10 AVAILABLE STARTING OCTOBER

LOOP

POWER				
kW 8	90,4/92%	Ø cm 8	kg 140	cm 54 x 55 x 107

maestro

no air · quickstart · oyster · xl · brushless

ECODESIGN 2022 · A+ *Model: LOOP AIR 8 M1*

Conto Termico 2.0

Pellet stove particularly suitable for installation in a corner. Made with cast iron top and front, Black or Silver steel cladding. Slide-opening top for pallet loading. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. Ventilation exclusion function. You can choose whether to have a handheld remote control (optional), a control panel (optional) or use your smartphone.

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303	Air 8 M1	7118006	**2.475,00**
Silver metal dark_317	Air 8 M1	7118007	**2.475,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
Black "ECO" ash pan Optional.		4017019	**31,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**

KLIN - 2016

POWER	%	Ø	Kg	
kW 8,1	90,9/92,6%	Ø cm 8	kg 135	cm 50 x 54,5 x 109,5

Model: KLIN - 2016 A+

TILDA - 2016

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 185	cm 50 x 55 x 108

Model: TILDA - 2016 A+

AIKE Comfort Air - 2016

POWER	%	Ø	Kg	
kW 8,1	90,9/92,6%	Ø cm 8	kg 180	cm 50 x 55 x 108

Model: AIKE COMFORT AIR - 2016 A+

	DESCRIPTION/CODE	€
KLIN - 2016		
STRUCTURE		
Comfort Air	7116033	**2.325,00**
CLADDING		
Black metal_303	6915010	**230,00**
Serpentino_240	6915011	**1.025,00**
TILDA - 2016		
VERSIONS		
Comfort Air	7116034	**2.720,00**
AIKE Comfort Air - 2016		
VERSIONS		
Comfort Air	7116035	**2.920,00**
INTERFACES		
maestro **Maestro smartphone app**	Free download	-
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES		
°C **Temperature probe featured as standard on the machine**	Supplied as standard	-
WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES		
>>> **Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	

! WHILE STOCKS LAST

NEW **KLIN**

POWER				
kW 8,1	90,9/92,6%	Ø cm 8	kg 135	cm 50 x 54,5 x 109,5

maestro

no air · quickstart · oyster · xl · brushless

ECODESIGN 2022 · A+ *Model: KLIN COMFORT AIR 8 M1*

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with no front vents, made with a painted steel structure, glass front door. Fitted with two fans that can be set separately. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. You can choose whether to have a handhold remote control (option) or use your smartphone.

MATERIALS:
Steel: structure, painted sides
Glass: front door
Cast iron: brazier
Serpentino: sides

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 8 M1	7118048	**2.325,00**
CLADDING			
	Black metal_303	6915010	**230,00**
	Serpentino_240	6915011	**1.025,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

10 AVAILABLE STARTING OCTOBER

NEW **TILDA**

POWER				
kW 10	90,4/92,6%	Ø cm 8	kg 185	cm 50 x 55 x 108

maestro

no air · quickstart · oyster · xl · brushless

ECODESIGN 2022 · A+ *Model: TILDA COMFORT AIR 10 M1*

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with no front vents, made with a painted steel structure, glass front door. Fitted with two fans that can be set separately. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. You can choose whether to have a handhold remote control (option) or use your smartphone.

MATERIALS:
Steel: structure, sides black metal_303
Glass: front door
Cast iron: brazier

	DESCRIPTION/CODE		€
VERSIONS			
	Comfort Air 10 M1	7118049	**2.720,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

10 AVAILABLE STARTING OCTOBER

NEW

AIKE

POWER				
kW 8,1	90,9/92,6%	Ø cm 8	kg 180	cm 50 x 55 x 108

maestro

no air · quickstart · oyster · xl · brushless

ECODESIGN 2022 · A+ *Model: AIKE COMFORT AIR 8 M1*

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with no front vents, made with an entirely painted steel structure. The new firebox, featuring curved lines, is larger and deeper allowing a better view of the fire. Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. You can choose whether to have a handhold remote control (option) or use your smartphone.

MATERIALS:
Steel: structure, painted sides
Glass: front door
Cast iron: brazier
Serpentino: sides

	DESCRIPTION/CODE		€
VERSIONS			
	Comfort Air 8 M1	7118050	**2.920,00**
INTERFACES			
	Maestro smartphone app	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
	Temperature probe featured as standard on the machine	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
	Comfort Air® accessories To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

AVAILABLE STARTING OCTOBER

TECLA

POWER | % | Ø | Kg |

kW 6,3 | 91,5/92% | Ø cm 8 | kg 90 | cm 45,8 x 48,8 x 91,5

maestro | no air | quick start | oyster | brush less

A+ | ECODESIGN 2022 | *Model: TECLA AIR 6 M1* | Conto Termico 2.0

Pellet stove with a modern look with cast iron top and painted steel sides (Bordeaux, White, Dark, Silver). Product equipped with ceramic glow plug ensuring ignition times reduced by 40%. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

		DESCRIPTION/CODE		€
STRUCTURE				
	Air 6 M1		7119017	**1.640,00**
CLADDING				
	White metal_302		6919006	**100,00**
	Dark metal_308		6919005	**100,00**
	Silver metal_313		6919008	**100,00**
	Bordeaux metal_304		6919007	**100,00**
INTERFACES				
maestro	**Maestro smartphone app**		Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES				
°C	**Temperature probe featured as standard on the machine**		Supplied as standard	-
	WI-FI remote temperature sensor	Optional	4017014	**44,00**
DEDICATED ACCESSORIES				
	Black "ECO" ash pan Optional.		4017019	**31,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**

ALYSSA

POWER	%	Ø	Kg	
kW 6,3	91,5/92%	Ø cm 8	kg 90	cm 45,8 x 48,8 x 91,5

maestro · no air · quick start · oyster · brush less

A+ · ECODESIGN 2022 · *Model: ALYSSA AIR 6 M1*

Conto Termico 2.0

Pellet stove with a modern look with cast iron top and ceramic sides (White, Warm Grey, Bordeaux). Product equipped with ceramic glow plug ensuring ignition times reduced by 40%. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 6 M1	7119017	**1.640,00**
CLADDING			
	Warm grey ceramic_113	6919013	**230,00**
	Bordeaux ceramic_105	6919014	**230,00**
	White ceramic_102	6919015	**230,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Black "ECO" ash pan Optional.	4017019	**31,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

EGO Air

POWER	%	Ø	Kg	
kW 8,1	90,9/92,6%	Ø cm 8	kg 127	cm 53,5 x 53 x 102

EGO Comfort Air

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 130	cm 53,5 x 53 x 102

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
EGO AIR 8 M1
EGO COMFORT AIR 10 M1

Conto Termico 2.0

New air versions with larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Standard ventilation exclusion function.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 8 M1	7116036M	**1.765,00**
	Comfort Air 10 M1	7116037M	**2.090,00**
CLADDING			
	White metal_302	6914019	**230,00**
	Dark metal_308	6914018	**230,00**
	Silver metal_313	6914034	**230,00**
	Bordeaux metal_304	6914020	**230,00**
	Inox no touch metal_311	6914021	**405,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.	4017017	**38,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

maestro

NEW EGO Air UP!

POWER				
kW 8,1	90,9/92,6%	Ø cm 8	kg 130	cm 53,5 x 53 x 102

NEW EGO Comfort Air UP!

POWER				
kW 10	90,4/92,6%	Ø cm 8	kg 133	cm 53,5 x 53 x 102

maestro

no air · quickstart · oyster · xl · brushless · comfort air · ECODESIGN 2022 · A+

Model:
EGO AIR 8 UP! M1
EGO COMFORT AIR 10 UP! M1

Conto Termico 2.0

UP! - New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.
Larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times.
Standard ventilation exclusion function.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

All the UP! versions with a female smoke outlet will be available starting NOVEMBER

	DESCRIPTION/CODE		€
STRUCTURE			
Air 8 UP! M1	! WHILE STOCKS LAST	7116040M	**1.930,00**
Comfort Air 10 UP! M1	! WHILE STOCKS LAST	7116048M	**2.260,00**
Air 8 UP! M1 UF	Female smoke outlet	7119003	**1.930,00**
Comfort Air 10 UP! M1 UF	Female smoke outlet	7119005	**2.260,00**
CLADDING			
White metal_302		6914019	**230,00**
Dark metal_308		6914018	**230,00**
Silver metal_313		6914034	**230,00**
Bordeaux metal_304		6914020	**230,00**
Inox no touch metal_311		6914021	**405,00**
INTERFACES			
maestro **Maestro smartphone app**		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
°C **Temperature probe featured as standard on the machine**		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
X - UP! FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air.	Compatible with the female smoke outlet codes	4019004	**190,00**
Adapter for coaxial flues mm 80/130 » 80/125	Compatible with the female smoke outlet codes	4019014	**39,00**
Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.		4017017	**38,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**
Comfort Air® accessories			

NEW EGO Hydromatic 12

POWER				
kW 11,9	91,1/96,1%	Ø cm 8	kg 147	cm 53,5 x 53 x 102

kW 10

maestro · hydro · xl · quick start · brush less · matic

A+ · ECODESIGN 2022 · Model: EGO HYDROMATIC 12 M1 · Conto Termico 2.0

TYPE DE PRODUIT :
New Hydromatic version now available with Maestro technology.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 12 M1	7119024	**3.125,00**
CLADDING			
	White metal_302	6914019	**230,00**
	Dark metal_308	6914018	**230,00**
	Silver metal_313	6914034	**230,00**
	Bordeaux metal_304	6914020	**230,00**
	Inox no touch metal_311	6914021	**405,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pressure gauge	4018035	**35,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**17,00**

10 AVAILABLE STARTING OCTOBER

EGO Hydromatic 12

POWER

kW 11,9 | 91,1/96,1% | Ø cm 8 | kg 147 | cm 53,5 x 53 x 102

kW 10

hydro active

quickstart | automatic | natural | ECODESIGN 2022 | GPRS READY! | A+

Model:
EGO HYDROMATIC 12

Conto Termico 2.0

New Hydromatic version, equipped with self-cleaning brazier, with weekly ash emptying and simplified special maintenance. Airtight product equipped with ceramic spark plug for 40% faster ignition times.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 12	7117003	**3.125,00**
CLADDING			
	White metal_302	6914019	**230,00**
	Dark metal_308	6914018	**230,00**
	Silver metal_313	6914034	**230,00**
	Bordeaux metal_304	6914020	**230,00**
	Inox no touch metal_311	6914021	**405,00**
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	Hydro	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets.	Hydro	4015011	**340,00**
	Conduit for additional hopper	Hydro	4009019	**21,00**
	Terminal check valve+ pressure gauge	Hydro	4009020	**44,00**

STAR Air

POWER	%	Ø	Kg	
kW 8,1	90,9/92,6%	Ø cm 8	kg 127	cm 53,5 x 53 x 104,5

STAR Comfort Air

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 130	cm 53,5 x 53 x 104,5

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
STAR AIR 8 M1
STAR COMFORT AIR 10 M1

Conto Termico 2.0

New air versions with larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Standard ventilation exclusion function.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 8 M1	7116038M	**1.785,00**
	Comfort Air 10 M1	7116039M	**2.120,00**
CLADDING			
	White ceramic_102	6916021	**435,00**
	Bordeaux ceramic_105	6916024	**435,00**
	Black ceramic_107	6916022	**435,00**
	Sand ceramic_109	6916023	**435,00**
	Serpentino_240	6917005	**1.130,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.	4017017	**38,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

maestro

NEW

STAR Air UP!

POWER	%		Kg	
kW 8,1	90,9/92,6%	Ø cm 8	kg 130	cm 53,5 x 53 x 104,5

NEW

STAR Comfort Air UP!

POWER	%		Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 133	cm 53,5 x 53 x 104,5

maestro

no air · quickstart · oyster · xl · brushless · comfort air · ECODESIGN 2022 · A+

Model:
STAR AIR 8 UP! M1
STAR COMFORT AIR 10 UP! M1

Conto Termico 2.0

UP! - New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.
Larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times.
Standard ventilation exclusion function.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

All the UP! versions with a female smoke outlet will be available starting NOVEMBER

	DESCRIPTION/CODE		€
STRUCTURE			
Air 8 UP! M1	! WHILE STOCKS LAST	7116041M	**1.960,00**
Comfort Air 10 UP! M1	! WHILE STOCKS LAST	7116049M	**2.290,00**
Air 8 UP! M1 UF	Female smoke outlet	7119004	**1.960,00**
Comfort Air 10 UP! M1 UF	Female smoke outlet	7119006	**2.290,00**
CLADDING			
White ceramic_102		6916021	**435,00**
Bordeaux ceramic_105		6916024	**435,00**
Black ceramic_107		6916022	**435,00**
Sand ceramic_109		6916023	**435,00**
Serpentino_240		6917005	**1.130,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
Adapter for coaxial flues mm 80/130 » 80/125	Compatible with the female smoke outlet codes	4019014	**39,00**
X - UP! FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air.	Compatible with the female smoke outlet codes	4019004	**190,00**
Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.		4017017	**38,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**
Comfort Air® accessories			

NEW **STAR Hydromatic 12**

POWER				
kW 11,9	91,1/96,1%	Ø cm 8	kg 153	cm 53,5 x 53 x 104,5

kW 10

maestro · hydro · xl · quick start · brush less · matic

A+ · ECODESIGN 2022 · *Model: STAR HYDROMATIC 12 M1*

Conto Termico 2.0

TYPE DE PRODUIT :
New Hydromatic version now available with Maestro technology.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
KOMBOCUJRA			
	Hydromatic 12 M1	7119025	**3.125,00**
CLADDING			
	White ceramic_102	6916021	**435,00**
	Bordeaux ceramic_105	6916024	**435,00**
	Black ceramic_107	6916022	**435,00**
	Sand ceramic_109	6916023	**435,00**
	Serpentino_240	6917005	**1.130,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pressure gauge	4018035	**35,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**17,00**

10 AVAILABLE STARTING OCTOBER

STAR Hydromatic 12

POWER
kW 11,9

91,1/96,1%

Ø cm 8

kg 153

cm 53,5 x 53 x 102

kW 10

hydro active

quickstart automatic natural ECODESIGN 2022 GPRS READY! A+

Model:
STAR HYDROMATIC 12

Conto Termico 2.0

New Hydromatic version, equipped with self-cleaning brazier, with weekly ash emptying and simplified special maintenance. Airtight product equipped with ceramic spark plug for 40% faster ignition times.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 12	7117004	**3.125,00**
CLADDING			
	White ceramic_102	6916021	**435,00**
	Bordeaux ceramic_105	6916024	**435,00**
	Black ceramic_107	6916022	**435,00**
	Sand ceramic_109	6916023	**435,00**
	Serpentino_240	6917005	**1.130,00**
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	Hydro	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets.	Hydro	4015011	**340,00**
	Conduit for additional hopper	Hydro	4009019	**21,00**
	Terminal check valve+ pressure gauge	Hydro	4009020	**44,00**

MUSA Air

POWER				
kW 10	90,4/92,6%	Ø cm 8	kg 165	cm 57 x 55 x 110,6

MUSA Comfort Air

POWER				
kW 11,9	90,8/93,2%	Ø cm 8	kg 180	cm 57 x 55 x 110,6

MUSA Comfort Air 14

POWER				
kW 13,9	90,2/92,3%	Ø cm 8	kg 186	cm 57 x 55 x 110,6

MUSA Comfort Air Matic 14

The most powerful Comfort Air version (14kW), now also available with self-cleaning brazier with weekly ash emptying.

POWER				
kW 13,8	90,5/93,2%	Ø cm 8	kg 183	cm 57 x 55 x 110,6

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
MUSA AIR 10 M1
MUSA COMFORT AIR 12 M1
MUSA COMFORT AIR 14 M1
Model: MUSA COMFORT AIR MATIC 14 M1

Conto Termico 2.0

UP! - New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.
Larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times.
Standard ventilation exclusion function.

MATERIALS:
Steel: structure
Metal: painted sides
Cast iron: brazier, door, front elements, top, combustion chamber

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 10 M1	7116044M	**2.090,00**
	Comfort Air 12 M1	7116045M	**2.465,00**
	Comfort Air 14 M1	7116053M	**2.655,00**
	Comfort Air Matic 14 M1	7118010	**2.975,00**
CLADDING			
	White metal_302	6916011	**325,00**
	Dark metal_308	6916013	**325,00**
	Silver metal_313	6916012	**325,00**
	Bordeaux metal_304	6916014	**325,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.	4017017	**38,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**

11 MUSA COMFORT AIR MATIC 14 AVAILABLE STARTING NOVEMBER

maestro

NEW MUSA Air UP!

POWER	%	Ø cm 8	Kg	cm 57 x 55 x 110,6
kW 10	90,4/92,6%		kg 168	

NEW MUSA Comfort Air UP!

POWER	%	Ø cm 8	Kg	cm 57 x 55 x 110,6
kW 11,9	90,8/93,2%		kg 183	

NEW MUSA Comfort Air 14 UP!

POWER	%	Ø cm 8	Kg	cm 57 x 55 x 110,6
kW 13,9	90,2/92,3%		kg 186	

maestro

no air · quickstart · oyster · xl · brushless · comfort air · ECODESIGN 2022 · A+

Model:
MUSA AIR 10 UP! M1
MUSA COMFORT AIR 12 UP! M1
MUSA COMFORT AIR 14 UP! M1

Conto Termico 2.0

UP! - New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.
Larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times.
Standard ventilation exclusion function.

MATERIALS:
Steel: structure
Metal: painted sides
Cast iron: brazier, door, front elements, top, combustion chamber

All the UP! versions with a female smoke outlet will be available starting NOVEMBER

	DESCRIPTION/CODE		€
STRUCTURE			
Air 10 UP! M1	! WHILE STOCKS LAST	7116047M	**2.260,00**
Comfort Air 12 UP! M1	! WHILE STOCKS LAST	7116054M	**2.645,00**
Comfort Air 14 UP! M1	! WHILE STOCKS LAST	7116055M	**2.825,00**
Air 10 UP! M1 UF	Female smoke outlet	7119007	**2.260,00**
Comfort Air 12 UP! M1 UF	Female smoke outlet	7119008	**2.645,00**
Comfort Air 14 UP! M1 UF	Female smoke outlet	7119009	**2.825,00**
CLADDING			
White metal_302		6916011	**325,00**
Dark metal_308		6916013	**325,00**
Silver metal_313		6916012	**325,00**
Bordeaux metal_304		6916014	**325,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
X - UP! FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air.	Compatible with the female smoke outlet codes	4019006	**190,00**
Adapter for coaxial flues mm 80/130 » 80/125	Compatible with the female smoke outlet codes	4019014	**39,00**
Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.		4017017	**38,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**
Comfort Air® accessories			

NEW

MUSA Hydromatic 16
MUSA Hydromatic 24

POWER				
kW 16,1 kW 23,9	93,6/95,6% 92/95,6%	Ø cm 8	kg 190	cm 55 x 57 x 111

kW 12,8
kW 18,6

maestro · hydro · xl · quick start · brush less · matic

A++ ECODESIGN 2022 *Model: MUSA HYDROMATIC 16 M1*

A+ ECODESIGN 2022 *Model: MUSA HYDROMATIC 24 M1*

Conto Termico 2.0

TYPE DE PRODUIT :
New Hydromatic version now available with Maestro technology.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.
Also available in the version with DHW.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 16 M1	7119021	**3.270,00**
	Hydromatic 24 M1	7119022	**3.755,00**
CLADDING			
	White metal_302	6916011	**325,00**
	Dark metal_308	6916013	**325,00**
	Silver metal_313	6916012	**325,00**
	Bordeaux metal_304	6916014	**325,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pressure gauge	4018035	**35,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**17,00**

10 AVAILABLE STARTING OCTOBER

MUSA Hydromatic 16
MUSA Hydromatic 24

16 POWER

kW 16,1 | 93,6/95,6% | Ø cm 8 | kg 190 | cm 55 x 57 x 111

kW 12,8

24 POWER

kW 23,9 | 92/95,6% | Ø cm 8 | kg 190 | cm 55 x 57 x 111

kW 18,6

hydro | active

quickstart | automatic | no air | ECODESIGN 2022

GPRS READY!

A++ Model: MUSA HYDROMATIC 16

A+ Model: MUSA HYDROMATIC 24

Conto Termico 2.0

PRODUCT TYPE:
New hydro version, equipped with self-cleaning brazier, with weekly ash emptying and simplified special maintenance. Front ventilation is ensured also in the 16kW version. Significant performance levels (95% efficiency at reduced power and CO levels below 70 mg/Nm3). Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. The firebox, featuring curved lines, is larger and deeper allowing a better view of the fire.

MATERIALS:
Steel: structure
Metal: painted sides
Cast iron: brazier, door, front elements, top, combustion chamber

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 16	7116016	**3.270,00**
	Hydromatic 24	7116022	**3.755,00**
	Hydromatic 24 with exchanger	7116024	**4.115,00**
CLADDING			
	White metal_302	6916011	**325,00**
	Dark metal_308	6916013	**325,00**
	Silver metal_313	6916012	**325,00**
	Bordeaux metal_304	6916014	**325,00**
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	Hydro	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets.	Hydro	4015011	**340,00**
	Terminal check valve+ pressure gauge	Hydro	4009020	**44,00**

CLUB Air

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 165	cm 59 x 55 x 115

CLUB Comfort Air

POWER	%	Ø	Kg	
kW 11,9	90,8/93,2%	Ø cm 8	kg 180	cm 59 x 55 x 115

CLUB Comfort Air 14

POWER	%	Ø	Kg	
kW 13,9	90,2/92,3%	Ø cm 8	kg 183	cm 59 x 55 x 115

CLUB Comfort Air Matic 14

The most powerful Comfort Air version (14kW), now also available with self-cleaning brazier with weekly ash emptying.

POWER	%	Ø	Kg	
kW 13,8	90,5/93,2%	Ø cm 8	kg 183	cm 53,5 x 53 x 102

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
CLUB AIR 10 M1
CLUB COMFORT AIR 12 M1
CLUB COMFORT AIR 14 M1
CLUB COMFORT AIR MATIC 14 M1

Conto Termico 2.0

New air versions with larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Standard ventilation exclusion function.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 10 M1	7116042M	**2.160,00**
	Comfort Air 12 M1	7116043M	**2.540,00**
	Comfort Air 14 M1	7116050M	**2.725,00**
	Comfort Air Matic 14 M1	7118009	**3.050,00**
CLADDING			
	White ceramic_102	6916007	**500,00**
	Bordeaux ceramic_105	6916010	**500,00**
	Black ceramic_107	6916008	**500,00**
	Sand ceramic_109	6916009	**500,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.	4017017	**38,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

11 CLUB COMFORT AIR MATIC 14 AVAILABLE STARTING NOVEMBER

maestro

NEW CLUB Air UP!

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 168	cm 59 x 55 x 115

NEW CLUB Comfort Air UP!

POWER	%	Ø	Kg	
kW 11,9	90,8/93,2%	Ø cm 8	kg 183	cm 59 x 55 x 115

NEW CLUB Comfort Air 14 UP!

POWER	%	Ø	Kg	
kW 13,9	90,2/92,3%	Ø cm 8	kg 186	cm 59 x 55 x 115

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
CLUB AIR 10 UP! M1
CLUB COMFORT AIR 12 UP! M1
CLUB COMFORT AIR 14 UP! M1

Conto Termico 2.0

UP! - New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.
Larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times.
Standard ventilation exclusion function.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

All the UP! versions with a female smoke outlet will be available starting NOVEMBER

	DESCRIPTION/CODE		€
STRUCTURE			
Air 10 UP! M1	! WHILE STOCKS LAST	7116046M	**2.375,00**
Comfort Air 12 UP! M1	! WHILE STOCKS LAST	7116051M	**2.755,00**
Comfort Air 14 UP! M1	! WHILE STOCKS LAST	7116052M	**2.940,00**
Air 10 UP! M1 UF	Female smoke outlet	7119012	**2.375,00**
Comfort Air 12 UP! M1 UF	Female smoke outlet	7119010	**2.755,00**
Comfort Air 14 UP! M1 UF	Female smoke outlet	7119011	**2.940,00**
CLADDING			
White ceramic_102		6916007	**500,00**
Bordeaux ceramic_105		6916010	**500,00**
Black ceramic_107		6916008	**500,00**
Sand ceramic_109		6916009	**500,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
X - UP! FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air.	Compatible with the female smoke outlet codes	4019005	**175,00**
Adapter for coaxial flues mm 80/130 » 80/125	Compatible with the female smoke outlet codes	4019014	**39,00**
Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.		4017017	**38,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**
Comfort Air® accessories			

NEW

CLUB Hydromatic 16
CLUB Hydromatic 24

POWER

kW 16,1
kW 23,9

93,6/95,6%
92/95,6%

Ø cm 8

kg 190

cm 59 x 54 x 116

kW 12,8
kW 18,6

maestro · hydro · xl · quick start · brush less · matic

A+ ECODESIGN 2022 *Model: CLUB HYDROMATIC 16 M1*

+

A+ ECODESIGN 2022 *Model: CLUB HYDROMATIC 24 M1*
Model: CLUB HYDROMATIC 24 M1 ACS

Conto Termico 2.0

TYPE DE PRODUIT :
New Hydromatic version now available with Maestro technology.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.
Also available in the version with DHW.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 16 M1	7119018	**3.405,00**
	Hydromatic 24 M1	7119019	**3.890,00**
	Hydromatic 24 ACS M1	7119020	**4.250,00**
CLADDING			
	White ceramic_102	6916007	**500,00**
	Bordeaux ceramic_105	6916010	**500,00**
	Black ceramic_107	6916008	**500,00**
	Sand ceramic_109	6916009	**500,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pressure gauge	4018035	**35,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**17,00**

10 AVAILABLE STARTING OCTOBER

CLUB Hydromatic 16
CLUB Hydromatic 24

16

POWER	%	Ø	Kg	
kW 16,1	93,6/95,6%	Ø cm 8	kg 190	cm 59 x 54 x 116

kW 12,8

24

POWER	%	Ø	Kg	
kW 23,9	92/95,6%	Ø cm 8	kg 190	cm 59 x 54 x 116

kW 18,6

hydro active

quickstart · automatic · no air · ECODESIGN 2022

GPRS READY!

A++ *Model: CLUB HYDROMATIC 16*

A+ *Model: CLUB HYDROMATIC 24*

Conto Termico 2.0

PRODUCT TYPE:
New hydro version, equipped with self-cleaning brazier, with weekly ash emptying and simplified special maintenance. Front ventilation is ensured also in the 16kW version. Significant performance levels (95% efficiency at reduced power and CO levels below 70 mg/Nm3). Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. The firebox, featuring curved lines, is larger and deeper allowing a better view of the fire.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 16	7116015	**3.405,00**
	Hydromatic 24	7116021	**3.890,00**
	Hydromatic 24 with exchanger	7116023	**4.250,00**
CLADDING			
	White ceramic_102	6916007	**500,00**
	Bordeaux ceramic_105	6916010	**500,00**
	Black ceramic_107	6916008	**500,00**
	Sand ceramic_109	6916009	**500,00**
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	Hydro	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets.	Hydro	4015011	**340,00**
	Terminal check valve+ pressure gauge	Hydro	4009020	**44,00**

SUITE Air

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 165	cm 59 x 55 x 115

SUITE Comfort Air

POWER	%	Ø	Kg	
kW 11,9	90,8/93,2%	Ø cm 8	kg 180	cm 59 x 55 x 115

SUITE Comfort Air 14

POWER	%	Ø	Kg	
kW 13,8	90,5/93,2%	Ø cm 8	kg 183	cm 59 x 55 x 115

SUITE Comfort Air Matic 14

The most powerful Comfort Air version (14kW), now also available with self-cleaning brazier with weekly ash emptying.

POWER	%	Ø	Kg	
kW 13,9	90,2/92,3%	Ø cm 8	kg 183	cm 53,5 x 53 x 102

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
SUITE AIR 10 M1
SUITE COMFORT AIR 12 M1
SUITE COMFORT AIR 14 M1
SUITE COMFORT AIR MATIC 14 M1

Conto Termico 2.0

New air versions with larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Standard ventilation exclusion function.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 10 M1	7116042M	**2.160,00**
	Comfort Air 12 M1	7116043M	**2.540,00**
	Comfort Air 14 M1	7116050M	**2.725,00**
	Comfort Air Matic 14 M1	7118009	**3.050,00**
CLADDING			
	Salt and pepper ceramic_110	6916004	**500,00**
	Bordeaux ceramic_105	6916006	**500,00**
	Old amber ceramic_111	6916005	**500,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.	4017017	**38,00**
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

11 SUITE COMFORT AIR MATIC 14 AVAILABLE STARTING NOVEMBER

maestro

NEW SUITE Air UP!

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 168	cm 59 x 55 x 115

NEW SUITE Comfort Air UP!

POWER	%	Ø	Kg	
kW 11,9	90,8/93,2%	Ø cm 8	kg 183	cm 59 x 55 x 115

NEW SUITE Comfort Air 14 UP!

POWER	%	Ø	Kg	
kW 13,9	90,2/92,3%	Ø cm 8	kg 186	cm 59 x 55 x 115

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
SUITE AIR 10 UP! M1
SUITE COMFORT AIR 12 UP! M1
SUITE COMFORT AIR 14 UP! M1

Conto Termico 2.0

UP! - New centre top outlet versions are now available which allow the product to be placed at just 5cm from the wall.
Larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times.
Standard ventilation exclusion function.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

All the UP! versions with a female smoke outlet will be available starting NOVEMBER

	DESCRIPTION/CODE		€
STRUCTURE			
Air 10 UP! M1	! WHILE STOCKS LAST	7116046M	**2.375,00**
Comfort Air 12 UP! M1	! WHILE STOCKS LAST	7116051M	**2.755,00**
Comfort Air 14 UP! M1	! WHILE STOCKS LAST	7116052M	**2.940,00**
Air 10 UP! M1 UF	Female smoke outlet	7119012	**2.375,00**
Comfort Air 12 UP! M1 UF	Female smoke outlet	7119010	**2.755,00**
Comfort Air 14 UP! M1 UF	Female smoke outlet	7119011	**2.940,00**
CLADDING			
Salt and pepper ceramic_110		6916004	**500,00**
Bordeaux ceramic_105		6916006	**500,00**
Old amber ceramic_111		6916005	**500,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**
DEDICATED ACCESSORIES			
X - UP! FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air.	Compatible with the female smoke outlet codes	4019005	**175,00**
Adapter for coaxial flues mm 80/130 » 80/125	Compatible with the female smoke outlet codes	4019014	**39,00**
Pellet chute Accessory to facilitate loading the pellets **(For UP! stoves only)** Optional.		4017017	**38,00**
Pellet level sensor	AVAILABLE STARTING OCTOBER	4018005	**78,00**
Comfort Air® accessories			

NEW

SUITE Hydromatic 16
SUITE Hydromatic 24

POWER				
kW 16,1 kW 23,9	93,6/95,6% 92/95,6%	Ø cm 8	kg 190	cm 59 x 54 x 116

kW 12,8
kW 18,6

maestro · hydro · xl · quick start · brush less · matic

A++ ECODESIGN 2022 *Model: SUITE HYDROMATIC 16 M1*

A+ ECODESIGN 2022 *Model: SUITE HYDROMATIC 24 M1*
Model: SUITE HYDROMATIC 24 M1 ACS

Conto Termico 2.0

TYPE DE PRODUIT :
New Hydromatic version now available with Maestro technology.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.
Also available in the version with DHW.

MATERIALS:
Steel: structure, stainless steel side
Metal: painted sides
Cast iron: grate, door, front elements, top

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 16 M1	7119018	**3.405,00**
	Hydromatic 24 M1	7119019	**3.890,00**
	Hydromatic 24 ACS M1	7119020	**4.250,00**
CLADDING			
	Salt and pepper ceramic_110	6916004	**500,00**
	Bordeaux ceramic_105	6916006	**500,00**
	Old amber ceramic_111	6916005	**500,00**
INTERFACES			
	Maestro smartphone app	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
	Temperature probe featured as standard on the machine	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pressure gauge	4018035	**35,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**17,00**

10 AVAILABLE STARTING OCTOBER

SUITE Hydromatic 16
SUITE Hydromatic 24

16

POWER	%	Ø	Kg	
kW 16,1	93,6/95,6%	Ø cm 8	kg 190	cm 59 x 54 x 116
kW 12,8				

24

POWER	%	Ø	Kg	
kW 23,9	92/95,6%	Ø cm 8	kg 190	cm 59 x 54 x 116
kW 18,6				

hydro active

quickstart · automatic · no air · ECODESIGN 2022

GPRS READY!

A++ *Model: SUITE HYDROMATIC 16*

A+ *Model: SUITE HYDROMATIC 24*

Conto Termico 2.0

PRODUCT TYPE:
New hydro version, equipped with self-cleaning brazier, with weekly ash emptying and simplified special maintenance. Front ventilation is ensured also in the 16kW version. Significant performance levels (95% efficiency at reduced power and CO levels below 70 mg/Nm3). Product equipped with ceramic spark plug ensuring ignition times reduced by 40%. The firebox, featuring curved lines, is larger and deeper allowing a better view of the fire.

MATERIALS:
Cast iron: brazier, combustion chamber, door, front diffuser
Ceramic: sides, top, front panel

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 16	7116015	**3.405,00**
	Hydromatic 24	7116021	**3.890,00**
	Hydromatic 24 with exchanger	7116023	**4.250,00**
CLADDING			
	Salt and pepper ceramic_110	6916004	**500,00**
	Bordeaux ceramic_105	6916006	**500,00**
	Old amber ceramic_111	6916005	**500,00**
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	Hydro 4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets.	Hydro 4015011	**340,00**
	Terminal check valve+ pressure gauge	Hydro 4009020	**44,00**

REFLEX

NEW **REFLEX**

POWER	%	Ø	Kg	
kW 7,8	90,2/91,5%	Ø cm 8	kg 155	cm 86,1 x 31,3 x 116,1

maestro · no air · quick start · oyster · brush less

A+ · ECODESIGN 2022 · *Model: REFLEX COMFORT AIR 8 UP! M1*

Conto Termico 2.0

Pellet stove with reduced depth (31,1 cm) and monochrome (Black) or two-tone (Black/Gold, Black/Bronze) aluminium cladding. The flame is perceived differently according to the viewing angle, which makes having a fire at home truly special. Airtight product equipped with ceramic glow plug for 40% faster ignition times. Ventilation exclusion function. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

design Michael Geldmacher

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 8 UP! M1	7119035	**3.340,00**
CLADDING			
	Black metal_303	6919016	**410,00**
	Gold metal_321	6919017	**440,00**
	Bronze metal_305	6919023	**440,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	4018005	**78,00**

LINEA

POWER	%	Ø	Kg	
kW 8,8	90,9/89,8%	Ø cm 8	kg 155	cm 88 x 29 x 114

maestro

no air · quickstart · oyster · comfort air

ECODESIGN 2022 · A+ *Model: LINEA COMFORT AIR*

Conto Termico 2.0

Highly compact pellet stove (29cm deep) ideal for confined spaces; glass top and front and ceramic sides in White, Burgundy and Black. Double door. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Ventilation exclusion function. Both air outlets can be ducted to ensure absolute versatility of air distribution during installation.

MATERIALS:
Steel: structure
Glass: front cladding
Cast iron: brazier, combustion chamber
Serpentine: sides
Ceramic: sides

	DESCRIPTION/CODE	€
STRUCTURE		
Comfort Air	7117007A	**3.365,00**
CLADDING		
Black ceramic_107	6917006	**370,00**
Bordeaux ceramic_105	6917007	**370,00**
White ceramic_102	6917008	**370,00**
Serpentino_240	6917009	**590,00**
INTERFACES		
Maestro smartphone app	Free download	-
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES		
Temperature probe featured as standard on the machine	Supplied as standard	-
WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES		
Comfort Air® accessories To build a Comfort Air® channelling system > p. 91	Comfort Air®	

! WHILE STOCKS LAST

NEW LINEA

POWER				
kW 8,8	90,9/89,8%	Ø cm 8	kg 155	cm 88 x 29 x 114

maestro

no air · quickstart · oyster · comfort air · brushless

ECODESIGN 2022 · A+

Model:
LINEA COMFORT AIR 9 M1
LINEA COMFORT AIR 9 UP! M1

Conto Termico 2.0

Highly compact pellet stove (29cm deep) ideal for confined spaces; glass top and front and ceramic sides in White, Burgundy and Black. Double door. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Ventilation exclusion function. Both air outlets can be ducted to ensure absolute versatility of air distribution during installation.

MATERIALS:
Steel: structure
Glass: front cladding
Cast iron: brazier, combustion chamber
Serpentine: sides
Ceramic: sides

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 9 M1	7118014	**3.295,00**
	Comfort Air 9 UP! M1	7118015	**3.365,00**
CLADDING			
	Black ceramic_107	6917006	**370,00**
	Bordeaux ceramic_105	6917007	**370,00**
	White ceramic_102	6917008	**370,00**
	Serpentino_240	6917009	**590,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

AVAILABLE STARTING DECEMBER

DOC

POWER	%	Ø	Kg	
kW 8,8	90,9/89,8%	Ø cm 8	kg 148	cm 86 x 30 x 114

maestro

no air · quickstart · oyster · comfort air · brushless

ECODESIGN 2022 · A+

Model:
DOC COMFORT AIR 9 M1
DOC COMFORT AIR 9 UP! M1

Conto Termico 2.0

Highly compact pellet stove (29cm deep) ideal for confined spaces. Cast iron top painted Black or Aluminium and steel cladding painted Black. Pellet loading at front. Double door. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Ventilation exclusion function. Both air outlets can be ducted to ensure absolute versatility of air distribution during installation.

MATERIALS:
Steel: structure
Cast iron: top, brazier, combustion chamber
Metal: cladding

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 9 M1	7118016	**2.700,00**
	Comfort Air 9 UP! M1	7118017	**2.770,00**
TOP			
	Black metal_303	6917015	**130,00**
	Aluminium metal_315	6917016	**130,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

PHILO

POWER	%	Ø	Kg	
kW 13,8	90,5/93,2%	Ø cm 8	kg 200	cm 99,9 x 39,6 x 119

maestro

no air · quickstart · oyster · xl · brushless · comfort air

ECODESIGN 2022 · A+

Model:
PHILO COMFORT AIR 14 M1
PHILO COMFORT AIR 14 UP!M1

Conto Termico 2.0

Pellet stove particularly suitable for confined spaces, thanks to the reduced depth (39 cm); featuring 3 fans and two air flows that you can adjust to fit your needs, based on the heating requirements of the room. Black steel top, aluminium grid and White, Bordeaux, Black, Bronze, Aluminium metal cladding. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Ventilation exclusion function. You can choose whether to have a handheld remote control (optional), a control panel (optional) or use your smartphone.

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 14 M1	7118005	**3.030,00**
	Comfort Air 14 UP! M1	7118039	**3.105,00**
CLADDING			
	Black metal_303	6918013	**305,00**
	Bronze metal_305	6918014	**305,00**
	White metal_302	6918015	**305,00**
	Aluminium metal_315	6918016	**305,00**
	Bordeaux metal_304	6918017	**305,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	4018005	**78,00**

RAAM

POWER				
kW 7,8	90,2/91%	Ø cm 8	kg 148	cm 88,8 x 28,2 x 113

no air · quickstart · oyster · comfort air

GPRS READY! · ECODESIGN 2022 · A+

Model:
RAAM COMFORT AIR 8 S1
RAAM COMFORT AIR 8 UP! S1

Conto Termico 2.0

Compact pellet stove (29 cm deep) ideal for confined spaces. White, Bordeaux, Black, Silver metal cladding. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Ventilation exclusion function. Control panel on board the machine.

*Check availability with the sales office

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 8 S1	7118003	**2.325,00**
	Comfort Air 8 UP! S1	7118037	**2.395,00**
	Comfort Air 8 UP! S1 UF	Female smoke outlet 7119042	**2.395,00**
CLADDINGS			
	White metal_302	6918005	**255,00**
	Dark metal_308	6918006	**255,00**
	Silver metal_313	6918007	**255,00**
	Bordeaux metal_304	6918008	**255,00**
DEDICATED ACCESSORIES			
	Remote control Optional.	4015012	**42,00**
	Modem Optional. Allows remote connection with GSM mobile phone.	4015005	**575,00**
wi-fi	**Kit WI-FI** Raam can be remotely controlled from your smartphone or tablet.	4016003	**270,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	

9 **COMFORT AIR 8 UP! S1 UF AVAILABLE STARTING SEPTEMBER**

RAY

POWER		Ø	Kg	
kW 7,8	90,2/91%	Ø cm 8	kg 155	cm 88,2 x 28,6 x 113

maestro

comfort air · no air · quickstart · oyster · brushless · ECODESIGN 2022 · A+

Model:
RAY COMFORT AIR 8 M1
RAY COMFORT AIR 8 UP! M1

Conto Termico 2.0

Compact pellet stove (29cm deep) ideal for confined spaces. White, Bordeaux, Black stone or ceramic cladding. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Ventilation exclusion function. You can choose whether to have a handheld remote control (optional), a control panel (optional) or use your smartphone.

*Check availability with the sales office

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 8 M1	7118004	**2.475,00**
	Comfort Air 8 UP! M1 UF	Female smoke outlet 7119043	**2.550,00**
CLADDINGS			
	White ceramic_102	6918009	**355,00**
	Bordeaux ceramic_105	6918010	**355,00**
	Black ceramic_107	6918011	**355,00**
	Serpentino_240	6918012	**390,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**

NEW

STREAM

POWER | % | Ø | Kg |

kW 11,9 | 90,8/93,2% | Ø cm 8 | kg 180/235 | cm 90 x 40,6 x 110,1

maestro | no air | xl | quick start | | oyster | brush less | | | |

A+ | ECODESIGN 2022 | *Model: STREAM COMFORT AIR 12 M1 STREAM COMFORT AIR 12 UP! M1*

Conto Termico 2.0

PRODUCT TYPE:
New version now available with Maestro technology.
Pellet stove with no front vents. Thanks to its reduced depth (39 cm), it can be easily installed in corridors or small rooms, even against a wall. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

MATERIALS:
Steel: structure, front cladding
Glass: door
Cast iron: brazier, combustion chamber
Serpentine: front cladding

	DESCRIPTION/CODE		€
STRUCTURE			
	Comfort Air 12 M1	7119015	**2.950,00**
	Comfort Air 12 UP! M1	7119016	**2.990,00**
CLADDINGS			
	Dark metal_308	6919003	**205,00**
	White metal_302	6919001	**205,00**
	Bordeaux metal_304	6919002	**205,00**
	Serpentino_240	6919004	**500,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	
	Pellet level sensor	4018005	**78,00**

	DESCRIPTION/CODE		€

PHILO

POWER	%	Ø	Kg	
kW 9	87,8/93,6%	Ø cm 8	kg 135	cm 90 x 27 x 116

comfort air · active · GSM READY! · A+ *Model: PHILO COMFORT AIR*

PRODUCT TYPE:
Pellet stove for hot air production with forced convection.
Possibility of ducting the air into other rooms - up to 8 metres - with the help of MCZ Comfort Air® technology. Fans adjustable to 3 settings. Reduced depth to facilitate installation in confined spaces.

MATERIALS:
Steel: structure
Cast iron: grate, door
Alutec®: combustion chamber
Aluminium: top
Painted metal: front panels

Conto Termico 2.0

STRUCTURE

	Comfort Air	7111031	**2.645,00**

CLADDINGS

	White metal_302	6911029	**155,00**
	Black metal_303	6911030	**155,00**
	Aluminium metal_315	6911031	**155,00**
	Bordeaux metal_304	6911032	**155,00**
	Bronze metal_305	6911033	**155,00**

SUPPLIED AS STANDARD WITH

Remote control MAX

DEDICATED ACCESSORIES

Floor protection
For "slim" stoves.
Anthracite painted metal 4011051 **90,00**
Tempered glass 4011050 **125,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> p. 91
Comfort Air®

WHILE STOCKS LAST

FLUX Hydro

POWER	%	Ø	Kg	
kW 16	95,6/97,1%	Ø cm 8	kg 180	cm 98,9 x 27,9 x 111,9

kW 13,5 · hydro · active · ECODESIGN 2022 · GPRS READY! · A++ *Model: FLUX HYDRO*

PRODUCT TYPE:
Pellet stove with reduced depth (27.9 cm) for the production of hot water for heating.
New Active Plus system compatible with Web, WI-FI interface for smartphone and tablet; set-up for home automation connection.

MATERIALS:
Steel: structure
Painted metal: front cladding
Cast iron: brazier
Glass: door

Conto Termico 2.0

STRUCTURE

	Hydro	7113014	**3.290,00**

CLADDING

	White metal_302	6913001	**565,00**
	Bordeaux metal_304	6913003	**565,00**
	Black metal_303	6913002	**565,00**

DEDICATED ACCESSORIES

Modem
Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band
4013028 **290,00**

Web - WI-FI interface
For smartphones and tablets.
4015011 **340,00**

	DESCRIPTION/CODE	€

JAZZ Hydromatic

POWER kW 28,5 | 93,4/94,4% | Ø cm 10 | kg 292 | cm 61 x 68,8 x 133,7

kW 27,1

hydro · natural · quickstart · active · xl · automatic · ECODESIGN 2022

A++

Model:
JAZZ HYDROMATIC 30 H1
JAZZ HYDROMATIC 30 ACS H1

Conto Termico 2.0

Pellet stove made with ceramic front in White, Bordeaux or Black, cast iron top and black metal sides. Fitted with a self-cleaning brazier with weekly emptying of the ash and an automatic ash collection system (from the main compartment and the smoke circulation system), fitted with a ceramic spark plug that guarantees a 40% faster ignition time. Also available in the version with DHW.

STRUCTURE			
	Hydromatic 30 H1	7118008	**4.750,00**
	Hydromatic 30 ACS H1	7118013	**4.910,00**
CLADDINGS			
	Black ceramic_107	6918018	**305,00**
	Bordeaux ceramic_105	6918019	**305,00**
	White ceramic_102	6918020	**305,00**
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets. To be purchased in combination with code 4013004	4015011	**340,00**
	Terminal check valve+ pressure gauge	4009020	**44,00**

NEW

JAZZ Hydromatic 30

POWER
kW 28,5

93,4/94,4% | Ø cm 10 | kg 292

kW 27,1

maestro | hydro | xl | quick start | brush less | matic

A++ | ECODESIGN 2022 | *Model: JAZZ HYDROMATIC 30 M1*

Conto Termico 2.0

TYPE DE PRODUIT :
New version now available with Maestro technology.
Pellet stove made with ceramic front in White, Bordeaux or Black, cast iron top and black metal sides.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydromatic 30 M1	7119028	**4.750,00**
CLADDINGS			
	Black ceramic_107	6918018	**305,00**
	Bordeaux ceramic_105	6918019	**305,00**
	White ceramic_102	6918020	**305,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
	Pellet level sensor	AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pressure gauge	4018035	**35,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**17,00**
	Pipes and accessories for connection Ø 10 cm	Straight pellet pipe L 25 cm 40A11005	**26,00**
		Straight pellet pipe L 50 cm 40A11006	**32,00**
		Straight pellet pipe L 100 cm 40A11007	**40,00**
		90° bend 40A11003	**50,00**
		"T"joint 40A11004	**61,00**
		45° bend 40A12018	**42,00**
		90° bend that is easy to inspect 40A12019	**55,00**
		Pipe clamp 40A12020	**23,00**
		Rose 40A12021	**12,00**
		Silicone gasket - Pack of 5 pieces 40A12022	**14,00**
		Joint F/F - Ø 10/10 cm 4013009	**30,00**
		Joint F/F - Ø 8/8 cm 4013010	**28,00**

AVAILABLE STARTING NOVEMBER

CLIO Hydro 16/Clio Hydro 23

	POWER	%	Ø	Kg	
16	kW 16,2 H_2O kW 12,9	93,3/96,5%	Ø cm 8	kg 185	cm 50,2 x 50,5 x 112
23	kW 22,8 H_2O kW 18,7	91,3/96,5%	Ø cm 8	kg 185	cm 50,2 x 50,5 x 112

hydro · oyster · quickstart · xl · ECODESIGN 2022 · GPRS READY!

A++ *Model: CLIO HYDRO 16* A+ *Model: CLIO HYDRO 23*

Pellet stove with cast iron top and steel sides in Dark, Burgundy and White. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Front ventilation.

MATERIALS:
Steel: structure
Metal: painted sides
Cast iron: grate, door, front elements, top, combustion chamber

	DESCRIPTION/CODE		€
STRUCTURE			
	Hydro 16	7116060	**3.155,00**
	Hydro 23	7116064	**3.360,00**
	Hydro 23 with exchanger	7116065	**3.715,00**
CLADDINGS			
	White metal_302	6916043	**140,00**
	Dark metal_308	6916042	**140,00**
	Silver metal_313	6917014	**140,00**
	Bordeaux metal_304	6916044	**140,00**
DEDICATED ACCESSORIES			
	Modem Optional. Allows remote connection with GSM mobile phone.	4015005	**575,00**
wi-fi	**Kit WI-FI** Clio can be remotely controlled from your smartphone or tablet.	4016003	**270,00**

Conto Termico 2.0

MAGGIE

POWER	%	Ø	Kg	
kW 10	90,4/92,6%	Ø cm 8	kg 125	cm 49 x 56,5 x 108

Comfort air · oyster · xl · quickstart · ECODESIGN 2022

GPRS READY! A+ *Model: Maggie Comfort Air 10 S1*

Pellet stove with cast iron top and steel sides in Dark, Burgundy and White. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Front ventilation.

MATERIALS:
Steel: structure
Metal: painted sides
Cast iron: brazier, door, front elements, top, combustion chamber

VERSIONS				
	Dark metal_308	Ductable	7118028	**2.010,00**
	White metal_302	Ductable	7118030	**2.010,00**
	Bordeaux metal_304	Ductable	7118029	**2.010,00**
DEDICATED ACCESSORIES				
	Remote control Optional.		4015012	**42,00**
	Modem Optional. Allows remote connection with GSM mobile phone.		4015005	**575,00**
wi-fi	**Kit WI-FI** Maggie can be remotely controlled from your smartphone or tablet.		4016003	**270,00**
	Black "LOW" ash pan Optional.		4017018	**46,00**

Conto Termico 2.0

AMY

POWER	%	Ø	Kg	
kW 6,3	91,5/92%	Ø cm 8	kg 90	cm 46 x 48 x 90

oyster · quickstart · ECODESIGN 2022 · GPRS READY! · A+ Model: AMY

Conto Termico 2.0

PRODUCT TYPE:
Pellet stove with a modern look, made of steel and cast iron. Cast iron top and coated steel sides (Burgundy, White, Dark, Silver). Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.

MATERIALS:
Steel: structure, painted sides
Cast iron: combustion chamber, door, brazier, top

DESCRIPTION/CODE			€
VERSIONS			
Dark metal_308	Air	7116001	**1.550,00**
White metal_302	Air	7116002	**1.550,00**
Bordeaux metal_304	Air	7116003	**1.550,00**
Silver metal_313	Air	7116004	**1.550,00**
DEDICATED ACCESSORIES			
Remote control Optional.		4015012	**42,00**
Modem Optional. Allows remote connection with GSM mobile phone.		4015005	**575,00**
Kit WI-FI Amy can be remotely controlled from your smartphone or tablet.		4016003	**270,00**
Black "ECO" ash pan Optional.		4017019	**31,00**

GIÒ

POWER	%	Ø	Kg	
kW 8	90,4/92%	Ø cm 8	kg 127	cm 49 x 48 x 100

no air · oyster · xl · quickstart · ECODESIGN 2022 · GPRS READY! · A+ Giò Air 8 S1

Conto Termico 2.0

New air versions with larger and deeper firebox for a better view of the flame. Airtight product equipped with ceramic spark plug for 40% faster ignition times. Standard ventilation exclusion function.

MATERIALS:
Steel: structure
Metal: painted sides
Cast iron: grate, door, front elements, top, combustion chamber

VERSIONS			
Dark metal_308	Air 8 S1	7118031	**1.730,00**
White metal_302	Air 8 S1	7118032	**1.730,00**
Bordeaux metal_304	Air 8 S1	7118033	**1.730,00**
Aluminium metal_315	Air 8 S1	7118034	**1.730,00**
Silver metal_313	Air 8 S1	7118035	**1.730,00**
DEDICATED ACCESSORIES			
Remote control Optional.		4015012	**42,00**
Modem Optional. Allows remote connection with GSM mobile phone.		4015005	**575,00**
Kit WI-FI Giò can be remotely controlled from your smartphone or tablet.		4016003	**270,00**
Black "ECO" ash pan Optional.		4017019	**31,00**

	DESCRIPTION/CODE	€

DECÒ

POWER	%	Ø	Kg	
kW 7,6	87,6/86,8%	Ø cm 10	kg 185	cm 76 x 56 x 80

no air · active · xl · GPRS READY!

A+ *Model: DECÒ AIR 8 H1* · Conto Termico 2.0

PRODUCT TYPE:
Classic-style pellet stove, with cladding and firebox entirely made of cast iron. The sliding opening of the pellet tank makes loading operations extremely easy. Thanks to its low height and the presence of a top smoke outlet, this product is the perfect solution for optimising the living space. This stove has a flame that is fascinating to look at.

MATERIALS:
Steel: structure
Cast iron: cladding, brazier, combustion chamber, door

CLADDING

	Smoke_501	Air	7118024	**3.010,00**
	MAX NO AIR remote control			

DEDICATED ACCESSORIES

	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band		4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets. To be purchased in combination with code 4013004		4015011	**340,00**
	Ambient probe Ambient probe for Wi-Fi module and wiring.		4013004	**52,00**
	Rear smoke outlet kit Ø 8 cm	Smoke White	4016001 4017001	**56,00** **77,00**
>>>	**Pipes and accessories for connection** Ø 10 cm			

! WHILE STOCKS LAST

NEW **DECÒ**

POWER	%	Ø	Kg	
kW 8	92,7/94,3%	Ø cm 8/10	kg 200	cm 76 x 56 x 80

maestro · no air · xl · quick start · oyster · brush less

A+ *Model: DECÒ AIR 8 M1* · Conto Termico 2.0

PRODUCT TYPE:
New version now available with Maestro technology.
Classic-style pellet stove, with cladding and firebox entirely made of cast iron. The sliding opening of the pellet tank makes loading operations extremely easy. Thanks to its low height and the presence of a top smoke outlet, this product is the perfect solution for optimising the living space.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

MATERIALS:
Steel: structure
Cast iron: cladding, brazier, combustion chamber, door

	DESCRIPTION/CODE		€
CLADDING			
Air 8 M1		7119034	**3.080,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Bracket for Maestro Panel on machine Needed to mount 4018002		4019011	**15,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor	Optional	4017014	**44,00**
DEDICATED ACCESSORIES			
Pellet level sensor		4018005	**78,00**
Pipes and accessories for connection Ø 10 cm	Straight pellet pipe L 25 cm	40A11005	**26,00**
	Straight pellet pipe L 50 cm	40A11006	**32,00**
	Straight pellet pipe L 100 cm	40A11007	**40,00**
	90° bend	40A11003	**50,00**
	"T"joint	40A11004	**61,00**
	45° bend	40A12018	**42,00**
	90° bend that is easy to inspect	40A12019	**55,00**
	Pipe clamp	40A12020	**23,00**
	Rose	40A12021	**12,00**
	Silicone gasket - Pack of 5 pieces	40A12022	**14,00**
	Joint F/F - Ø 10/10 cm	4013009	**30,00**
	Joint F/F - Ø 8/8 cm	4013010	**28,00**
Rear smoke outlet kit Ø 8 cm	Smoke	4019015	**56,00**

AVAILABLE STARTING SEPTEMBER

THEMA

POWER	%	Ø	Kg	
kW 7,6	87,6/86,8%	Ø cm 10	kg 130	cm 60 x 55,6 x 80

no air · active · xl · GPRS READY!

A+ *Model: THEMA AIR 8 H1* · Conto Termico 2.0

PRODUCT TYPE:
Pellet stove for the production of hot air with forced convection at a lower height (80 cm) and top smoke exhaust (optional rear outlet): it can be easily installed in homes with a pre-existing flue.
New Active Plus system compatible with Web, WI-FI interface for smartphone and tablet; set-up for home automation connection.

MATERIALS:
Steel: structure - Metal: painted metal cladding
Ceramic/Serpentine: front grille - Cast iron: brazier, door
Alutec®: firebox

	DESCRIPTION/CODE		€
STRUCTURE			
	Air	7118027	**2.475,00**
CLADDING			
	White ceramic_102	6913006	**140,00**
	Black ceramic_107	6913007	**140,00**
	Serpentino_240	6913008	**140,00**
STANDARD EQUIPMENT			
	MAX NO AIR remote control		
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets. To be purchased in combination with code 4013004	4015011	**340,00**
	Ambient probe Ambient probe for Wi-Fi module and wiring.	4013004	**52,00**
	Rear smoke outlet kit Ø 8 cm	4016005	**57,00**
	Pipes and accessories for connection Ø 10 cm		
	Straight pellet pipe L 25 cm	40A11005	**26,00**
	Straight pellet pipe L 50 cm	40A11006	**32,00**
	Straight pellet pipe L 100 cm	40A11007	**40,00**
	90° bend	40A11003	**50,00**
	"T"joint	40A11004	**61,00**
	45° bend	40A12018	**42,00**
	90° bend that is easy to inspect	40A12019	**55,00**
	Pipe clamp	40A12020	**23,00**
	Rose	40A12021	**12,00**
	Silicone gasket - Pack of 5 pieces	40A12022	**14,00**
	Joint F/F - Ø 10/10 cm	4013009	**30,00**
	Joint F/F - Ø 8/8 cm	4013010	**28,00**

! WHILE STOCKS LAST

NEW

THEMA

POWER				
kW 8	92,7/94,3%	Ø cm 8/10	kg 145	cm 60 x 56 x 81,5

maestro · no air · xl · quick start · oyster · brush less

A+ *Model: THEMA AIR 8 M1* · Conto Termico 2.0

PRODUCT TYPE:
New version now available with Maestro technology.
Pellet stove with a lower height (80 cm) and top smoke exhaust (optional rear outlet): it can be easily installed in homes with a pre-existing flue.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

MATERIALS:
Steel: structure - Metal: painted metal cladding
Ceramic/Serpentine: front grille - Cast iron: brazier, door
Alutec®: firebox

	DESCRIPTION/CODE		€
STRUCTURE			
	Air 8 M1	7119033	**2.510,00**
CLADDINGS			
	White ceramic_102	6913006	**140,00**
	Black ceramic_107	6913007	**140,00**
	Serpentino_240	6913008	**140,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro foldaway panel on the machine To manage Maestro features directly on the stove	4018002	**140,00**
	Bracket for Maestro Panel on machine Needed to mount 4018002	4019011	**15,00**
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
DEDICATED ACCESSORIES			
		AVAILABLE STARTING OCTOBER 4018005	**78,00**
	Pipes and accessories for connection Ø 10 cm	Straight pellet pipe L 25 cm 40A11005 **26,00** Straight pellet pipe L 50 cm 40A11006 **32,00** Straight pellet pipe L 100 cm 40A11007 **40,00** 90° bend 40A11003 **50,00** "T"joint 40A11004 **61,00** 45° bend 40A12018 **42,00** 90° bend that is easy to inspect 40A12019 **55,00** Pipe clamp 40A12020 **23,00** Rose 40A12021 **12,00** Silicone gasket - Pack of 5 pieces 40A12022 **14,00** Joint F/F - Ø 10/10 cm 4013009 **30,00** Joint F/F - Ø 8/8 cm 4013010 **28,00**	
	Part of the top - Cute/Thema In the case of installation with a rear smoke outlet	4019010	**42,00**

10 AVAILABLE STARTING OCTOBER

CUTE

POWER	%	Ø	Kg	
kW 7,6	87,6/86,8%	Ø cm 10	kg 130	cm 60 x 55,6 x 80

no air · active · xl · GPRS READY!

A+ Model: CUTE AIR 8 H1 · Conto Termico 2.0

PRODUCT TYPE:
Pellet stove for the production of hot air with forced convection at a lower height (80 cm) and top smoke exhaust (optional rear outlet): it can be easily installed in homes with a pre-existing flue.
New Active Plus system compatible with Web, WI-FI interface for smartphone and tablet; set-up for home automation connection.

MATERIALS:
Steel: structure - Metal: painted metal cladding
Cast iron: brazier, door - Alutec®: firebox

	DESCRIPTION/CODE		€
CLADDING			
Structure + Black metal_303	Air	7118026	**2.475,00**
STANDARD EQUIPMENT			
MAX NO AIR remote control			
DEDICATED ACCESSORIES			
Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band		4013028	**290,00**
Web - WI-FI interface For smartphones and tablets. To be purchased in combination with code 4013004		4015011	**340,00**
Ambient probe Ambient probe for Wi-Fi module and wiring.		4013004	**52,00**
Rear smoke outlet kit Ø 8 cm		4016005	**57,00**
Pipes and accessories for connection Ø 10 cm	Straight pellet pipe L 25 cm	40A11005	**26,00**
	Straight pellet pipe L 50 cm	40A11006	**32,00**
	Straight pellet pipe L 100 cm	40A11007	**40,00**
	90° bend	40A11003	**50,00**
	"T"joint	40A11004	**61,00**
	45° bend	40A12018	**42,00**
	90° bend that is easy to inspect	40A12019	**55,00**
	Pipe clamp	40A12020	**23,00**
	Rose	40A12021	**12,00**
	Silicone gasket - Pack of 5 pieces	40A12022	**14,00**
	Joint F/F - Ø 10/10 cm	4013009	**30,00**
	Joint F/F - Ø 8/8 cm	4013010	**28,00**

! WHILE STOCKS LAST

NEW

CUTE

POWER				
kW 8	92,7/94,3%	Ø cm 8/10	kg 145	cm 76 x 56 x 80

maestro · no air · xl · quick start · oyster · brush less

A+ *Model: CUTE AIR 8 M1* · Conto Termico 2.0

PRODUCT TYPE:
New version now available with Maestro technology.
Pellet stove with a lower height (80 cm) and top smoke exhaust (optional rear outlet): it can be easily installed in homes with a pre-existing flue.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

MATERIALS:
Steel: structure - Metal: painted metal cladding
Cast iron: brazier, door - Alutec®: firebox

	DESCRIPTION/CODE		€
CLADDING			
Air 8 M1		7119032	**2.510,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro foldaway panel on the machine To manage Maestro features directly on the stove		4018002	**140,00**
Bracket for Maestro Panel on machine Needed to mount 4018002		4019011	**15,00**
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor	Optional	4017014	**44,00**
DEDICATED ACCESSORIES			
	AVAILABLE STARTING OCTOBER	4018005	**78,00**
Pipes and accessories for connection Ø 10 cm	Straight pellet pipe L 25 cm	40A11005	**26,00**
	Straight pellet pipe L 50 cm	40A11006	**32,00**
	Straight pellet pipe L 100 cm	40A11007	**40,00**
	90° bend	40A11003	**50,00**
	"T"joint	40A11004	**61,00**
	45° bend	40A12018	**42,00**
	90° bend that is easy to inspect	40A12019	**55,00**
	Pipe clamp	40A12020	**23,00**
	Rose	40A12021	**12,00**
	Silicone gasket - Pack of 5 pieces	40A12022	**14,00**
	Joint F/F - Ø 10/10 cm	4013009	**30,00**
	Joint F/F - Ø 8/8 cm	4013010	**28,00**
Part of the top - Cute/Thema In the case of installation with a rear smoke outlet		4019010	**42,00**

AVAILABLE STARTING SEPTEMBER

CAP

POWER	%	Ø	Kg	
kW 8	93/93%	Ø cm 8	kg 135	cm 55,5 x 52,9 x 105

active · still · xl · GPRS READY!

A+ *Model: CAP* · Conto Termico 2.0

PRODUCT TYPE:
Wide-flame pellet stoves for the production of hot air with natural convection, with air outlet from upper top. The stove is silent thanks to new STILL technology.
New Active Plus system compatible with Web, WI-FI interface for smartphone and tablet; set-up for home automation connection.

MATERIALS:
Steel: structure - Metal: painted metal cladding
Cast iron: brazier - Aluminium: top - Alutec®: firebox

	DESCRIPTION/CODE		€
CLADDING			
	Structure + Black metal_303	Natural 7113011	**2.645,00**
STANDARD EQUIPMENT			
	MAX NO AIR remote control		
DEDICATED ACCESSORIES			
	Modem Modem for Active+. This allows a remote connection to be set up with GSM/GPRS band	4013028	**290,00**
	Web - WI-FI interface For smartphones and tablets. To be purchased in combination with code 4013004	4015011	**340,00**
	Ambient probe Ambient probe for Wi-Fi module and wiring.	4013004	**52,00**
air	**Kit Air**	4013006	**145,00**

! WHILE STOCKS LAST



VIVO 90 Pellet

POWER				
kW 10,5	93,1/94,4%	Ø cm 8	kg 180	cm 90 x 60 x 56

active · comfort air · xl · ECODESIGN 2022

A+ *Model: VIVO 90 PELLET* · Conto Termico 2.0

Pellet fireplace with a large view, a larger and even more attractive flame. Can be combined with Comfort Air Basic or Comfort Air Slim to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. Combustion is managed automatically with Active+. Remote control with room thermostat as standard. This fireplace can be installed close to the floor.

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303		5014005	**3.280,00**
SLIM Comfort Air® kit -2 x Multi 12 outlets -2 x ø 10 cm - L=1.5 m pipes -2 x ø 6 cm pipes -Motor inspection hatches -2 fan units -2 x ø 60 mm clamps -2 x ø 100 mm clamps		4012008	**510,00**
		TOTAL	**3.790,00**
STANDARD EQUIPMENT			
MAX NO AIR remote control			
"Blade" convection grille x2	99x6,1 cm		
Passe-partout frame 4 sides.			
DEDICATED ACCESSORIES			
Support Optional.		4014001	**215,00**
FLIP ventilation outlet	White glass	4012017	**215,00**
FLOAT ventilation outlet	White glass and white frame White glass and black frame	4012018 4012019	**225,00** **225,00**
GHOST ventilation outlet	White glass Black glass	4012020 4012021	**225,00** **225,00**
MINIMAL ventilation outlet	Metal can be painted	4017009	**175,00**
SOFT ventilation outlet	Ceramic	4017010	**195,00**
>>> **Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®		

! WHILE STOCKS LAST



VIVO 90 Pellet

POWER	%	Ø	Kg	
kW 10,5	93,1/94,4%	Ø cm 8	kg 180	cm 90 x 60 x 56

active · comfort air · xl · ECODESIGN 2022

A+ *Model: VIVO 90 PELLET* · Conto Termico 2.0

Pellet fireplace with a large view, a larger and even more attractive flame. Can be combined with Comfort Air Basic or Comfort Air Slim to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. Combustion is managed automatically with Active+. Remote control with room thermostat as standard. This fireplace can be installed close to the floor.

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303		5014005	**3.280,00**
	BASIC Comfort Air® kit -2 x Multi 20 outlets -2 x ø 10 cm - L=1.5 m pipes -2 fan units -4 clamps -2 brackets	4012007	**310,00**
		TOTAL	**3.590,00**
STANDARD EQUIPMENT			
	MAX NO AIR remote control		
	"Blade" convection grille x2	99x6,1 cm	
	Passe-partout frame 4 sides.		
DEDICATED ACCESSORIES			
	Support Optional.	4014001	**215,00**
	MONO 20 MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER	Without light With light*	4008021 4008023	**90,00** **215,00**
	BI 20 BI-DIRECTIONAL AIR OUTLET		4008024	**77,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®		

! WHILE STOCKS LAST

maestro

NEW VIVO 90 Comfort Air 9

POWER				
kW 8,8	91/92,5%	Ø cm 8	kg 120	cm 91,7 x 60,8 x 57,7

maestro · quick start · oyster · brush less

Model: VIVO 90 COMFOR AIR 9 M1

En cours de certification.

PRODUCT TYPE:
New version now available with Maestro technology.
Pellet fireplace with a large view. Can be combined with Comfort Air Slim to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. This fireplace can be installed close to the floor.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
VERSIONS			
Comfort Air 9 M1		5019001	**3.330,00**
SLIM Comfort Air® kit -2 x Multi 12 outlets -2 x ø 10 cm - L=1.5 m pipes -2 x ø 6 cm pipes -Motor inspection hatches -2 fan units -2 x ø 60 mm clamps -2 x ø 100 mm clamps		4012008	**510,00**
		TOTAL	**3.840,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor	Optional	4017014	**44,00**
STANDARD EQUIPMENT			
Passe-partout frame 4 sides. **"Blade" convection grille** x2	99x6,1 cm		
DEDICATED ACCESSORIES			
Pellet level sensor		4018005	**78,00**
Support Optional.		4014001	**215,00**
FLIP ventilation outlet	White glass	4012017	**215,00**
FLOAT ventilation outlet	White glass and white frame White glass and black frame	4012018 4012019	**225,00** **225,00**
GHOST ventilation outlet	White glass Black glass	4012020 4012021	**225,00** **225,00**
MINIMAL ventilation outlet	Metal can be painted	4017009	**175,00**
SOFT ventilation outlet	Ceramic	4017010	**195,00**
Comfort Air® accessories			

maestro



NEW

VIVO 90 Comfort Air 9

POWER				
kW 8,8	91/92,5%	Ø cm 8	kg 120	cm 91,7 x 60,8 x 57,7

maestro · quick start · oyster · brush less

Model: VIVO 90 COMFOR AIR 9 M1

En cours de certification.

PRODUCT TYPE:
New version now available with Maestro technology.
Pellet fireplace with a large view. Can be combined with Comfort Air Basic to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. This fireplace can be installed close to the floor.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
VERSIONS			
	Comfort Air 9 M1	5019001	**3.330,00**
	BASIC Comfort Air® kit -2 x Multi 20 outlets -2 x ø 10 cm - L=1.5 m pipes -2 fan units -4 clamps -2 brackets	4012007	**310,00**
		TOTAL	**3.640,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
STANDARD EQUIPMENT			
	Passe-partout frame 4 sides. **"Blade" convection grille** x2	99x6,1 cm	
DEDICATED ACCESSORIES			
	Pellet level sensor	4018005	**78,00**
	Support Optional.	4014001	**215,00**
	MONO 20 MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER	Without light 4008021 With light* 4008023	**90,00** **215,00**
	BI 20 BI-DIRECTIONAL AIR OUTLET	4008024	**77,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	



NEW VIVO 90 Comfort Air 11

POWER				
kW 10,9	90,5/92,5%	Ø cm 8	kg 140	cm 91,7 x 60,8 x 57,7

maestro · quick start · oyster · brush less · 3

Model: VIVO 90 COMFOR AIR 11 M1
En cours de certification.

PRODUCT TYPE:
New version now available with Maestro technology, featuring 3 fans. Pellet fireplace with a large view. Can be combined with Comfort Air Slim to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. This fireplace can be installed close to the floor.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
VERSIONS			
	Comfort Air 11 M1	5019002	**3.730,00**
	SLIM Comfort Air® kit -2 x Multi 12 outlets -2 x ø 10 cm - L=1.5 m pipes -2 x ø 6 cm pipes -Motor inspection hatches -2 fan units -2 x ø 60 mm clamps -2 x ø 100 mm clamps	4012008	**510,00**
		TOTAL	**4.240,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
STANDARD EQUIPMENT			
	Passe-partout frame 4 sides. **"Blade" convection grille** x2	99x6,1 cm	
	Hot air outlet nozzle	90x11 cm	
DEDICATED ACCESSORIES			
	Pellet level sensor	4018005	**78,00**
	Support Optional.	4014001	**215,00**
	Ventilation outlet	See VIVO 90 Comfort Air 9 SLIM	
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	



NEW VIVO 90 Comfort Air 11

POWER	%	Ø	Kg	
kW 10,9	90,5/92,5%	Ø cm 8	kg 140	cm 91,7 x 60,8 x 57,7

maestro · quick start · oyster · brush less · 3

Model: VIVO 90 COMFOR AIR 11 M1

En cours de certification.

PRODUCT TYPE:
New version now available with Maestro technology, featuring 3 fans. Pellet fireplace with a large view. Can be combined with Comfort Air Basic to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. This fireplace can be installed close to the floor.
You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
VERSIONS			
	Comfort Air 11 M1	5019002	**3.730,00**
	BASIC Comfort Air® kit -2 x Multi 20 outlets -2 x ø 10 cm - L=1.5 m pipes -2 fan units -4 clamps -2 brackets	4012007	**310,00**
		TOTAL	**4.040,00**
INTERFACES			
maestro	**Maestro smartphone app**	Free download	-
	Maestro built-in panel Cm 16,3x8,5	4018003	**140,00**
	Maestro wall-mounted panel Cm 16,3x8,5	4018034	**140,00**
	Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"	4017006	**140,00**
TEMPERATURE PROBES			
°C	**Temperature probe featured as standard on the machine**	Supplied as standard	-
	WI-FI remote temperature sensor	Optional 4017014	**44,00**
STANDARD EQUIPMENT			
	Passe-partout frame 4 sides. **"Blade" convection grille** x2	99x6,1 cm	
	Hot air outlet nozzle	90x11 cm	
DEDICATED ACCESSORIES			
	Pellet level sensor	4018005	**78,00**
	Support Optional.	4014001	**215,00**
	MONO 20 MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER	Without light With light*	4008021 4008023	**90,00** **215,00**
	BI 20 BI-DIRECTIONAL AIR OUTLET	4008024	**77,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®	



VIVO 80 Pellet

POWER			Kg	
kW 10,5	92,2/95,8%	Ø cm 8	kg 170	cm 78,5 x 55 x 68

A+ *Model: VIVO 80 PELLET* Conto Termico 2.0

PRODUCT TYPE:
Pellet glass-fronted fireplace for hot air production and forced heat convection. Integrated Comfort Air® hood kit; possibility of ducting the air elsewhere with optional Comfort Air® accessories.
MATERIALS:
Steel: structure
Cast iron: grate
Alutec®: combustion chamber

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303		5012004	**2.665,00**
SLIM Comfort Air® kit -2 x Multi 12 outlets -2 x ø 10 cm - L=1.5 m pipes -2 x ø 6 cm pipes -Motor inspection hatches -2 fan units -2 x ø 60 mm clamps -2 x ø 100 mm clamps		4012008	**510,00**
		TOTAL	**3.175,00**
SUPPLIED AS STANDARD WITH			
MAX remote control			
"Blade" convection grille x2	99x6,1 cm		
Passe-partout frame 4 sides.			
DEDICATED ACCESSORIES			
Support Optional.		4012009	**195,00**
FLIP ventilation outlet Complete with two lamps and air humidifier.	White glass/1 pc.	4012017	**215,00**
FLOAT ventilation outlet Complete with two lamps and air humidifier.	White glass/white frame/1 pc. White glass/black frame/1 pc.	4012018 4012019	**225,00** **225,00**
GHOST ventilation outlet	White glass Black glass	4012020 4012021	**225,00** **225,00**
MINIMAL ventilation outlet	Metal can be painted	4017009	**175,00**
SOFT ventilation outlet	Ceramic	4017010	**195,00**
Comfort Air® accessories To build a Comfort Air® channelling system > p. 91	Comfort Air®		



VIVO 80 Pellet

POWER				
kW 10,5	92,2/95,8%	Ø cm 8	kg 170	cm 78,5 x 55 x 68

comfort air · active · ECODESIGN 2022

A+ *Model: VIVO 80 PELLET* · Conto Termico 2.0

PRODUCT TYPE:
Pellet glass-fronted fireplace for hot air production and forced heat convection. Integrated Comfort Air® hood kit; possibility of ducting the air elsewhere with optional Comfort Air® accessories.
MATERIALS:
Steel: structure
Cast iron: grate
Alutec®: combustion chamber

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303		5012004	**2.665,00**
	BASIC Comfort Air® kit -2 x Multi 20 outlets -2 x ø 10 cm - L=1.5 m pipes -2 fan units -4 clamps -2 brackets	4012007	**310,00**
		TOTAL	**2.975,00**
SUPPLIED AS STANDARD WITH			
	MAX remote control		
	"Blade" convection grille x2	99x6,1 cm	
	Passe-partout frame 4 sides.		
DEDICATED ACCESSORIES			
	Support Optional.	4012009	**195,00**
	MONO 20 MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER	Without light With light*	4008021 4008023	**90,00** **215,00**
	BI 20 BI-DIRECTIONAL AIR OUTLET		4008024	**77,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > p. 91	Comfort Air®		

VIVO 80 Pellet Hydro

POWER	%	Ø	Kg	
kW 16,9	90,1/95,2%	Ø cm 8	kg 160	cm 78,5 x 60 x 64,9

kW 14,2

Conto Termico 2.0

Model: VIVO 80 PELLET HYDRO

PRODUCT TYPE:
Pellet glass-fronted fireplace for the production of hot water for central heating with expansion vessel, EC pump, safety valve, degasser, filler cock.

MATERIALS:
Steel: structure

	DESCRIPTION/CODE		€
STRUCTURE			
Black metal_303	Hydro	5012003	**3.350,00**
SUPPLIED AS STANDARD WITH			
Passe-partout frame 4 sides.			
"Blade" convection grille	99x6,1 H cm		
DEDICATED ACCESSORIES			
Terminal check valve+ pressure gauge	Hydro	4009020	**44,00**
Support Optional.		4012009	**195,00**

VIVO 85 PELLET Hydro

POWER	%	Ø	Kg	
kW 22,3	92,5% 95%	Ø cm 8	kg 190	cm 81,5 x 97,4 x 70

kW 18

Conto Termico 2.0

Model: VIVO 85 PELLET HYDRO

PRODUCT TYPE:
Hydro pellet fireplace with external glass door without exposed front vents (lower perimeter air outlet). The turbulators can be cleaned directly by opening the door, while extraordinary maintenance is very easy to perform thanks to the structure's rail extraction system.

MATERIALS:
Steel: structure, frame
Cast iron: brazier
Glass: door

VERSIONS			
Hydro		5015001	**4.220,00**
STANDARD EQUIPMENT			
"Blade" convection grille	60x6,7 cm		
DEDICATED ACCESSORIES			
Terminal check valve+ pressure gauge	Hydro	4009020	**44,00**
CLADDINGS			
NOBI - Wall	White_302 (photo)	6217001	**735,00**
NOBI - Wall	Bordeaux_304	6217002	**735,00**
NOBI - Wall	Copper metal_309	6217003	**810,00**

FRAME

PRODUCT TYPE:
Fireplace/wall mounted frame.

MATERIALS:
Powder-coated steel Bronze metal_305/Gray metal_306

kg 19

Vivo 80 pellet - cm 123,6 x 6,2 x 96,2
Vivo 90 pellet - cm 134,8 x 6,2 x 84,6

	DESCRIPTION/CODE		€
VERSION FOR VIVO 80 PELLET C/AIR Slim Basic - HYDRO - ALL VERSIONS			
Wall	Bronze metal_305 (photo)	6212001	**880,00**
Wall	Grey metal_306	6212002	**880,00**
VERSION FOR VIVO 90 PELLET C/AIR Slim Basic - ALL VERSIONS			
Wall	Bronze metal_305	6214001	**955,00**
Wall	Grey metal_306	6214002	**955,00**

PRIME

PRODUCT TYPE:
Fireplace/wall mounted frame.

MATERIALS:
Slate marble_203

kg 33

Vivo 80 pellet - cm 124 x 4 x 98
Vivo 90 pellet - cm 135 x 4 x 89

	DESCRIPTION/CODE		€
VERSION FOR VIVO 80 PELLET C/AIR Slim Basic - HYDRO - ALL VERSIONS			
Wall	(photo)	6212004	**1.195,00**
VERSION FOR VIVO 90 PELLET C/AIR Slim Basic - ALL VERSIONS			
Wall		6214003	**1.295,00**

NEW SAHARA

Vivo 90 pellet - cm 91,7 x 60,8 x 57,7

Handmade tile covering made according to a special composition, available in White or Grey. The craftsmanship and unevenness of each tile gives home environments a unique feel.
Pellet fireplace with a large view, which can be combined with air ducting systems to heat several rooms, even non-communicating ones. Black cast iron brazier and firebox. Product equipped with ceramic glow plug ensuring ignition times reduced by 40%. This fireplace can be installed close to the floor. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

design Paola Navone



VERSION FOR VIVO 90 PELLET		DESCRIPTION/CODE		€
	Wall	Grey (photo)	6219002	**1.780,00**
	Wall	White	6219001	**1.780,00**

maestro

BOXTHERM MAESTRO 60

POWER	%	Ø	Kg	
kW 5,9	91/94,7%	Ø cm 8	kg 135	cm 59 x 45 x 55,3 Basic cm 59 x 45 x 49 Slide

maestro

quickstart · oyster · brushless · ECODESIGN 2022

A+ *Model:*
BOXTHERM 60 AIR 6 BASIC M1
BOXTHERM 60 AIR 6 SLIDE M1

Conto Termico 2.0

Pellet insert available in BASIC version with front loading through the built-in pan, in the SLIDE version loaded by complete extraction or by using the optional LINK kit which allows you to load by means of the door in the hood. Suitable for insertion in existing fireboxes or for new installations. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
VERSION			
60 Air 6 M1 (SLIDE)	Photo	5018001	**2.730,00**
60 Air 6 M1 (BASIC)		5018002	**2.475,00**
DEDICATED ACCESSORIES			
Kit LINK **Available for SLIDE** To load the pellets from a satellite door, which can be positioned either on top of the Boxtherm or sideways.		4018004	**260,00**
Pellet level sensor		4018005	**78,00**
Frame 4 sides black	SLIDE 60 BASIC 60	4018029 4018030	**70,00** **75,00**
Combustion air kit To withdraw combustion air from the outdoor environment.		4018008	**98,00**
Support Optional.		4012009	**195,00**
Feet kit Allows the inlet of cooling air from the front.		4018031	**39,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**

maestro

BOXTHERM MAESTRO 70

POWER	%	Ø	Kg	
kW 8,8	90,6/94,1%	Ø cm 8	kg 135	cm 70,4 x 55 x 49

maestro

quickstart · oyster · brushless · ECODESIGN 2022

A+ *Model:*
BOXTHERM 70 AIR 9 BASIC M1
BOXTHERM 70 AIR 9 SLIDE M1

Conto Termico 2.0

Pellet insert available in BASIC version with front loading through the built-in pan, in the SLIDE version loaded by complete extraction or by using the optional LINK kit which allows you to load by means of the door in the hood. Suitable for insertion in existing fireboxes or for new installations. You can choose whether to have a handheld remote control (optional), a control panel (optional) or to use your smartphone.

	DESCRIPTION/CODE		€
VERSION			
70 Air 9 M1 (SLIDE)	Photo	5018003	**2.970,00**
70 Air 9 M1 (BASIC)		5018004	**2.720,00**
DEDICATED ACCESSORIES			
Kit LINK **Available for SLIDE** To load the pellets from a satellite door, which can be positioned either on top of the Boxtherm or sideways.		4018004	**260,00**
Pellet level sensor		4018005	**78,00**
Frame 4 sides black	SLIDE 70 BASIC 70	4018027 4018028	**70,00** **75,00**
Combustion air kit To withdraw combustion air from the outdoor environment.		4018007	**98,00**
Support Optional.		4012009	**195,00**
Feet kit Allows the inlet of cooling air from the front.		4018031	**39,00**
INTERFACES			
Maestro smartphone app		Free download	-
Maestro built-in panel Cm 16,3x8,5		4018003	**140,00**
Maestro wall-mounted panel Cm 16,3x8,5		4018034	**140,00**
Handheld remote control with Maestro app installed Cm 7,2x14,5 - 5"		4017006	**140,00**
TEMPERATURE PROBES			
Temperature probe featured as standard on the machine		Supplied as standard	-
WI-FI remote temperature sensor		4017014	**44,00**

PELLET > GENERAL ACCESSORIES

	VERSIONS AVAILABLE/CODE		€
	LINEAR PIPE		
	Painted pipe, 25/50/100 cm, with silicone gasket.	L= 25 cm - ø cm 8	40160463	**14,00**
		L= 50 cm - ø cm 8	40160464	**17,00**
		L= 100 cm - ø cm 8	40160465	**25,00**
	90° CURVE		
	Painted curve with silicone gasket.	ø cm 8	40160467	**23,00**
	90° CURVE WITH INSPECTION HOLE		
	Painted curve with silicone gasket.	ø cm 8	4010053	**26,00**
	90°CURVE GASKETS WITH HOLE INSPECTION		
	5 pc. package		4012022	**15,00**
	45° CURVE		
	Painted curve with silicone gasket.	ø cm 8	40160468	**21,00**
	T-UNION		
	Condensate/ash collection painted tee union with inspection cap and silicone gasket.	ø cm 8	40160462	**31,00**

PELLET > GENERAL ACCESSORIES

	VERSIONS AVAILABLE/CODE		€
FEMALE-FEMALE TEE FITTING			
Painted tee union with silicone gasket.	ø cm 8	4018026	**25,00**
DRAUGHT ADJUSTOR			
Pipe with silicone gasket fitted with device to adjust excessive draught.	ø cm 8	4010002	**250,00**
WALL COUPLING			
Painted wall coupling with silicone gasket.	ø cm 8	4010054	**13,00**
F/F-UNION			
Painted pipe with silicone gaskets.	ø cm 8/8 ø cm 10/10	4013010 4013009	**28,00** **30,00**
WINDPROOF CAP			
Stainless steel windproof cap for wall discharge.	ø cm 8	40160156	**13,00**
WALL FLANGE			
Painted wall flange.	ø cm 8	40160466	**9,00**

PELLET > GENERAL ACCESSORIES

	DESCRIPTION/CODE		€
	PIPE CLIP		
	Pipe support clip for wall fastening.	ø cm 8 40120968	**11,00**
	SILICONE GASKET		
	for 8 cm pellet stove pipes.	5-pack. 40120969	**12,00**
	FLOOR PROTECTION		
	Available in charcoal painted metal and in tempered glass (photo) Standard version: 90x100 cm (width x depth) Slim pellet stove version: 95x57 cm (width x depth) Sheet thickness: 2 mm Glass thickness: 6 mm	Standard version - metal 40140139 Standard version - glass 40170147 Slim version - metal 4011051 Slim version - glass 4011050	**100,00** **141,00** **90,00** **125,00**
	TOUCH-UP PAINT		
	Water-based silicone spray paint Check on the unit for the code to use.	Black - 400 ml 4017011 Coal - 200 ml 40180043 Micaceous grey - 200 ml 4009021	**21,00** **20,00** **20,00**
	CLEANING KIT AND STOVE MAINTENANCE CASE		
	Contains: - Hexagonal wrench - Set of brushes and paintbrushes (3 pieces) - Complete set of inner gaskets and fire door (5 kits) - Glass cleaning spray - Bolts and screws and washer - High temperature silicone - Manual	4009023	**195,00**
	MAINTENANCE CASE GASKETS REFILL KIT		
	Complete set of inner gaskets and fire door (5 kits)	4012027	**110,00**

	VERSIONS AVAILABLE/CODE		€
Ø 60 mm DUCTING KIT			
Complete kit for ducting air up to 1.5 m. Kit contents: One (1) 90° union One (1) flex pipe L = 1.5 m Four (4) clamps One (1) Ø 60 fan/pipe union Choose the hot air outlets to complete the kit >EGO, STAR, CLUB, SUITE, MUSA 1.0 >TOBA - PHILO		4011044	**80,00**
Ø 60 mm FAN/PIPE UNION			
Union for ducting with Ø 60 mm pipe. Kit contents: One (1) Ø 60 fan/pipe union Two (2) screws One (1) clamp >EGO, STAR, CLUB, SUITE, MUSA 1.0 >TOBA - PHILO		4009007	**16,00**
Ø 60 mm STRAIGHT UNION - 150 mm			
Ducting connection union. To be purchased in combination with code 4009008 >EGO, STAR, CLUB, SUITE, MUSA 2.0 >KLIN - TILDA - AIKE - STREAM		4015013	**20,00**
FLIP HOT AIR OUTLET			
Complete with two lamps and air humidifier.	White	4012017	**215,00**
FLOAT HOT AIR OUTLET			
Complete with two lamps.	White Black/white (as in photo)	4012018 4012019	**225,00** **225,00**
GHOST HOT AIR OUTLET			
Complete with one lamp and air humidifier.	White glass Black glass	4012020 4012021	**225,00** **225,00**

		VERSIONS AVAILABLE/CODE		€
	MINIMAL HOT AIR OUTLET Backlit metal air vent, can be painted like back wall.	Cm 21,5x21,5	4017009	**175,00**
	SOFT HOT AIR OUTLET Backlit ceramic air vent.	Cm 25x25	4017010	**195,00**
	MULTI 12 HOT AIR OUTLET Kit contents: One (1) 120x120 mm multi-directional hot air outlet One (1) frame One (1) Ø 60 flange One (1) Ø 60 plug Four (4) screws One (1) clamp		4009010	**27,00**
	Ø 60 mm STRAIGHT UNION Ducting connection union. Kit contents: One (1) Ø 60 straight union Two (2) clamps		4009008	**5,00**
	Ø 60 mm "Y" UNION Union to divert the flow of hot air in 2 ducts. Kit contents: One (1) Y union Three (3) clamps		4009009	**14,00**
	Ø 60 mm 90° CURVE Kit contents: One (1) 90° union Three (2) clamps		4009011	**10,00**

	VERSIONS AVAILABLE/CODE	€
FLEX PIPE Ø 60 L = 8 m		
	4009017	**38,00**
FLEX PIPE Ø 60 L = 1.5 m		
	4009003	**17,00**
INSULATED FLEX PIPE		
Ø 60 mm interior/110 mm exterior L= 3 m	4013005	**35,00**
FLEXIBLE PIPE		
ø 100 mm - L=1.5 m ø 100 mm insulated - L=10 m insulated	40160049 4008049	**15,00** **145,00**
Ø 80 mm FAN/PIPE UNION		
Union for ducting with Ø 80 mm pipe. Kit contents: One (1) Ø 80 fan/pipe union Two (2) screws One (1) clamp	4009013	**16,00**
Ø 60/80 mm PIPE ADAPTER		
	4014008	**15,00**

WOOD

PLASMA 115 Wood

POWER				
kW 14,1	80,1%	Ø cm 20	kg 384	cm 128 x 54 x 140,6

comfort air · easy switch · easy going · ECODESIGN 2022 · A+ — *Model: PLASMA 115 WOOD*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system with option of opening for cleaning at 90° (without handle) or 45° with a handle.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	Plasma 115	5017001	**3.455,00**
DEDICATED ACCESSORIES			
Passe-partout Painted black steel_303.		620217	**255,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4008073	**100,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4017004	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 95 Wood

POWER				
kW 13,3	80,1%	Ø cm 20	kg 344	cm 105,6 x 54 x 140,6

comfort air · easy switch · easy going · ECODESIGN 2022 · A+ — *Model: PLASMA 95 WOOD*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system with option of opening for cleaning at 90° (without handle) or 45° with a handle.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	Plasma 95	5017005	**3.045,00**
DEDICATED ACCESSORIES			
Passe-partout Painted black steel_303.		620216	**245,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4008072	**90,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4017004	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 85 Wood

POWER	%	Ø	Kg	
kW 13,3	80,1%	Ø cm 20	kg 328	cm 95,6 x 54 x 156,6

comfort air · easy switch · easy going · ECODESIGN 2022 · A+ — *Model: PLASMA 85 WOOD*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system with option of opening for cleaning at 90° (without handle) or 45° with a handle.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	Plasma 85	5017010	**3.045,00**
DEDICATED ACCESSORIES			
Passe-partout Painted black steel_303.		4017013	**252,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4017012	**92,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4017004	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 75 Wood

POWER	%	Ø	Kg	
kW 12,5	80,3%	Ø cm 20	kg 312	cm 84,6 x 54 x 156,6

comfort air · easy switch · easy going · ECODESIGN 2022 · A+ — *Model: PLASMA 75 WOOD*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system with option of opening for cleaning at 90° (without handle) or 45° with a handle.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	Plasma 75	5017012	**2.880,00**
DEDICATED ACCESSORIES			
Passe-partout Painted black steel_303.		6217004	**235,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4017021	**82,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4017004	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 75 DX/SX Wood

POWER	%	Ø	Kg	
kW 15,5	80,1%	Ø cm 20	kg 330	cm 84,5 x 59 x 168,1

comfort air · easy switch · easy going · ECODESIGN 2022 · A+

Model: PLASMA 75 DX WOOD
PLASMA 75 SX WOOD

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	PLASMA 75 DX Wood	5018005	**3.535,00**
Black metal_303	PLASMA 75 SX Wood	5018010	**3.535,00**
DEDICATED ACCESSORIES			
*** Passe-partout (Optional)** Painted black steel_303.	RH LH	4018014 4018015	**252,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.	RH LH	4018016 4018017	**92,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4018018	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 95 DX/SX Wood

POWER	%	Ø	Kg	
kW 14,8	80,8%	Ø cm 20	kg 370	cm 103 x 59 x 168,1

comfort air · easy switch · easy going · ECODESIGN 2022 · A+

Model: PLASMA 95 DX WOOD
PLASMA 95 SX WOOD

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	PLASMA 95 DX Wood	5018006	**3.840,00**
Black metal_303	PLASMA 95 SX Wood	5018011	**3.840,00**
DEDICATED ACCESSORIES			
*** Passe-partout (Optional)** Painted black steel_303.	RH LH	4018019 4018020	**252,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.	RH LH	4018021 4018022	**92,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4018023	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 115B Wood

POWER | % | Ø | Kg | ↕↔

kW 12,6 | 77,6% | Ø cm 20 | kg 334 | cm 128 x 59,4 x 140,6

comfort air | easy switch | easy going | ECODESIGN 2022 | A+ *Model: PLASMA 115B Wood*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system with option of opening for cleaning at 90° (without handle) or 45° with a handle.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

DESCRIPTION/CODE			€
VERSION			
Black metal_303	Plasma 115B	5017003	**4.020,00**
DEDICATED ACCESSORIES			
Passe-partout Painted black steel_303.		620217	**255,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4008073	**100,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4017004	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 95B Wood

POWER | % | Ø | Kg | ↕↔

kW 12,9 | 76,6% | Ø cm 20 | kg 298 | cm 105,6 x 59,4 x 140,6

comfort air | easy switch | easy going | ECODESIGN 2022 | A+ *Model: PLASMA 95B Wood*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system with option of opening for cleaning at 90° (without handle) or 45° with a handle.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

VERSION			
Black metal_303	Plasma 95B	5017007	**3.495,00**
DEDICATED ACCESSORIES			
Passe-partout (1 for side) Painted black steel_303.		620216	**245,00**
Spacer (1 for side) The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4008072	**90,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4017004	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 50T Wood

POWER	%	Ø	Kg	
kW 15,7	776,3%	Ø cm 20	kg 360	cm 55,7 x 101,9 x 162,1

comfort air · easy switch · easy going · ECODESIGN 2022 · A — *Model: Plasma 50T Wood*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	PLASMA 50T Wood	5018007	**4.195,00**
DEDICATED ACCESSORIES			
*** Passe-partout (Optional)** Painted black steel_303.		4018010	**252,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4018011	**92,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4018025	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 95T Wood

POWER	%	Ø	Kg	
kW 13,2	80,2%	Ø cm 20	kg 373	cm 106 x 61,8 x 157,3

comfort air · easy switch · easy going · ECODESIGN 2022 · A — *Model: Plasma 95T Wood*

New high-performing and efficient combustion in accordance with the strictest regulations governing emissions.
Automatic primary, post-combustion and glass cleaning air calibration system "Easy Going"
New more ergonomic and precise opening system.
The "Easy Switch" system offers the option of using either the handle or a hand, prioritising ergonomics or very clean aesthetics, respectively.

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	PLASMA 95T Wood	5018008	**3.940,00**
DEDICATED ACCESSORIES			
*** Passe-partout (Optional)** Painted black steel_303.		4018012	**252,00**
Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.		4018013	**92,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4018024	**70,00**
45° curve in stainless steel	Ø mm 150	4017005	**80,00**
Flexible pipe to channel air	Ø mm 150 - 1,5 m	4017007	**76,00**
Supplementary handle for Plasma	Optional	4019016	**38,00**
Chimney handling kit 1 rubber 4 revolving wheels 4 threaded pipes for transport		4017008	**340,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic VF Basic VN	4011012 4008038N 4008036	**675,00** **470,00** **120,00**

PLASMA 95T Wood

	DESCRIPTION/CODE		€

FORMA 65 Wood

POWER | % | Ø | Kg | ↘

kW 10,5 | 83,4% | Ø cm 20 | kg 235 | cm 76,6 x 53,4 x 131,9

comfort air | ECODESIGN 2022 | A+ | *Model: FORMA 65 WOOD* | flamme verte 7* | certificazione aria PULITA ***

PRODUCT TYPE:
Front unit with dual opening: rise and fall door and tilting opening at 45° for cleaning.
It is versatile and can be integrated with the Comfort Air® system.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Glass-ceramic: door glass

VERSION

	Black metal_303	5010002	**2.395,00**

DEDICATED ACCESSORIES

	Passe-partout Painted black steel_303.	620218	**225,00**
	**Spacer** The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.	4008070	**78,00**
	Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.	4009026	**70,00**
comfort air	**Comfort Air Kit** Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim 4011012 Basic 4008038	**675,00** **470,00**

! WHILE STOCKS LAST

FORMA B95 Wood

POWER | % | Ø | Kg | ↘

kW 10,2 | 83% | Ø cm 25 | kg 268 | cm 105,6 x 57,8 x 110

comfort air | A+ | *Model: FORMA B95 WOOD* | flamme verte 7* | certificazione aria PULITA ***

PRODUCT TYPE:
Dual-faced unit with dual opening and ceramic glass: rise and fall door and hinged door.
It is versatile and can be integrated with the Comfort Air® system.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Glass-ceramic: door glass

VERSION

	Black metal_303	5010006	**3.085,00**

DEDICATED ACCESSORIES

	Passe-partout (1 for side) Painted black steel_303.	620216	**245,00**
	Spacer (1 for side) The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.	4008072	**90,00**
	Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.	4009026	**70,00**
comfort air	**Comfort Air Kit** Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim 4011012 Basic 4008038	**675,00** **470,00**

! WHILE STOCKS LAST

FORMA 75 DX/SX Wood

POWER	%	Ø	Kg	
kW 10,6	78,6%	Ø cm 25	kg 283	cm 83 x 58,3 x 145,7

comfort air | A | *Model: FORMA 75 DX WOOD, FORMA 75 SX WOOD*

PRODUCT TYPE:
Corner unit with dual opening: rise and fall door and hinged door for cleaning.
It is versatile and can be integrated with the Comfort Air® system.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Glass-ceramic: door glass

	DESCRIPTION/CODE		€
VERSION			
	Right corner (as in photo)	5014001	**3.200,00**
	Left corner	5014002	**3.200,00**
ACCESSORI DEDICATI			
	Passe-partout Painted black steel_303.	R/H L/H	4011030R 4011030L	**280,00** **280,00**
	Spacer The spacer (painted black steel_303) should be used to fill the gap between the glass-fronted fireplace and non-MCZ artisan fireplace - which has no relation to the passe-partout.	R/H L/H	4011032R 4011032L	**100,00** **100,00**
	Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4011031	**75,00**
comfort air	**Comfort Air Kit** Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic	4011012 4008038	**675,00** **470,00**

! WHILE STOCKS LAST

VIVO 70 Wood

POWER	%	Ø	Kg	
kW 11	84%	Ø cm 20	kg 125	cm 71,7 x 45,1 x 63,9

comfort air · ECODESIGN 2022 · A+ · *Model: VIVO 70 WOOD*

PRODUCT TYPE:
Wood-fired glass-fronted fireplace for hot air production and heat convection. Tilting door. Possibility of channelling the air with the Comfort Air system.
Supplied with frame - 1.5 cm per side.

MATERIALS:
Steel: structure
Alutec®: combustion chamber

	DESCRIPTION/CODE		€
VERSION			
	Black metal_303	5015003	**1.540,00**
DEDICATED ACCESSORIES			
	Four sided frame For Vivo 70 Wood front (5 cm per side)	6309020	**185,00**
comfort air	**Comfort Air Kit** Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic	4011012 4008038	**675,00** **470,00**

VIVO 90 Wood

POWER	%	Ø	Kg	
kW 11	84%	Ø cm 20	kg 135	cm 88,7 x 45,1 x 55,8

comfort air · ECODESIGN 2022 · A+ · *Model: VIVO 90 WOOD*

PRODUCT TYPE:
Wood-fired glass-fronted fireplace for hot air production and heat convection. Tilting door. Possibility of channelling the air with the Comfort Air system.
Supplied with frame - 1.5 cm per side.

MATERIALS:
Steel: structure
Alutec®: combustion chamber

VERSION			
	Black metal_303	5015004	**1.675,00**
DEDICATED ACCESSORIES			
	Four sided frame For Vivo 90 Wood front (5 cm per side)	6309021	**185,00**
comfort air	**Comfort Air Kit** Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic	4011012 4008038	**675,00** **470,00**

NEW SAHARA

Vivo 90 wood - cm 88,7 x 45,1 x 55,8

Handmade tile covering made according to a special composition, available in White or Grey. The craftsmanship and unevenness of each tile gives home environments a unique feel.
Wood fireplace with a large view, which can be combined with air ducting systems to heat several rooms, even non-communicating ones.

design Paola Navone



VERSION FOR VIVO 90 WOOD		DESCRIPTION/CODE		€
	Wall	Grey	6219002	**1.780,00**
	Wall	White (foto)	6219001	**1.780,00**

BOXTHERM 70

POWER	%	Ø	Kg	
kW 8	83,7%	Ø cm 18	kg 100	cm 69,5 x 45 x 51,5

comfort air · A+ · *Model: BOXTHERM 70* · flamme verte 6* · certificazione aria PULITA 2020 **

PRODUCT TYPE:
Wood insert for hot air production and heat convection.
Possibility of using the Comfort Air® system.

MATERIALS:
Steel: structure
Alutec®: combustion chamber

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303		5009004	**1.315,00**
DEDICATED ACCESSORIES			
Forced ventilation kit Tangential fan		4009057	**90,00**
3 sided frame For Boxtherm 70		4009058	**62,00**
Four sided frame For Boxtherm 70 (3 cm per side)		4010012	**72,00**
Pipe with 50 cm adjustment For use as draught adjuster.	Ø cm 18	40160349	**94,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic	4011012 4008038	**675,00** **470,00**

BOXTHERM 80

POWER	%	Ø	Kg	
kW 9	82,9%	Ø cm 18	kg 130	cm 79,5 x 45 x 59

comfort air · ECODESIGN 2022 · A+ · *Model: BOXTHERM 80* · flamme verte 7* · certificazione aria PULITA 2022 ***

PRODUCT TYPE:
Wood insert for hot air production and heat convection.
Possibility of using the Comfort Air® system.

MATERIALS:
Steel: structure
Alutec®: combustion chamber

	DESCRIPTION/CODE		€
VERSIONS			
Black metal_303		5009005	**1.495,00**
DEDICATED ACCESSORIES			
Forced ventilation kit Tangential fan		4009057	**90,00**
3 sided frame For Boxtherm 80		4009059	**72,00**
Four sided frame For Boxtherm 80 (3 cm per side)		4010013	**82,00**
Pipe with 50 cm adjustment For use as draught adjuster.	Ø cm 18	40160349	**94,00**
Comfort Air Kit Available in Slim and Basic. The hood kit should be completed by choosing 2 hot air outlets. > p. 108	Slim Basic	4011012 4008038	**675,00** **470,00**

HYDROTHERM 70 R/H-L/H

POWER	%	Ø	Kg	
kW 21,2	75,2%	Ø cm 20	kg 204	cm 81,5 x 69,5 x 128,3

A — *Model: HYDROTHERM 70 DX, HYDROTHERM 70 SX*

kW 13

PRODUCT TYPE:
Corner wood-burning glass-fronted fireplace with hermetically sealed boiler - for heating and domestic hot water - and heat convection. Rise and fall door. Installable on open vessel.
Optional plumbing kits > page 81.

MATERIALS:
Steel: structure
Cast iron: fire bed, grille
Glass-ceramic: door glass

	DESCRIPTION/CODE		€
VERSION			
Black metal_303	Hydrotherm 70 RH (as in photo)	50520	**2.825,00**
Black metal_303	Hydrotherm 70 LH	50521	**2.825,00**
Passe-partout frame Frame made entirely out of black painted steel. (Indicative photo)	Passe-partout kit HT70SX Passe-partout kit HT70DX	6309003 6309004	**235,00** **235,00**
Electronic control unit		4014508042	**100,00**
Manifold Union for open expansion vessel + control unit T° probe connection.		401500900100	**50,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4012009003	**50,00**

! WHILE STOCKS LAST

! WHILE STOCKS LAST

HYDROTHERM 70V

POWER	%	Ø	Kg	
kW 21,2	75,2%	Ø cm 20	kg 212	cm 84,7 x 69,1 x 128,3

A — *Model: HYDROTHERM 70V*

kW 13

PRODUCT TYPE:
Front wood-burning glass-fronted fireplace also installable **with closed expansion vessel**. Hermetically sealed boiler - for heating and domestic hot water - and heat convection. Rise and fall door.

MATERIALS:
Steel: structure
Cast iron: fire bed, grille
Glass-ceramic: door glass

VERSION			
Black metal_303		50518	**2.775,00**
DEDICATED ACCESSORIES			
Passe-partout frame Frame made entirely out of black painted steel. (Indicative photo)	Kit passe-partout HT70	6309001	**175,00**
Electronic control unit		4014508042	**100,00**
Manifold Union for T° probe and control unit connection.		401500900100	**50,00**
Additional weights kit Additional weights to allow the natural descent and closing of the door pursuant to Bauart A1 standard.		4012009003	**50,00**
Watts thermal discharge valve		4015008031	**150,00**
CV boiler-fireplace kit with control unit Actions: -heating with fireplace -heating with boiler -domestic hot water with boiler and heating with fireplace		4015028	**890,00**
DHW-CV boiler-fireplace kit with control unit Actions: -heating with fireplace -heating with boiler -domestic hot water with boiler and heating with fireplace -domestic hot water with fireplace and heating with boiler. (The photos of the two kits are indicative)		4015029	**1.115,00**

	VERSIONS AVAILABLE/CODE		€

SLIM FV VENTILATION KIT

Ventilation kit for standard connection with hot air outlets positioned in the hood or remotely and motor positioned freely between the glass-fronted fireplace and the hot air outlet. The hood kit should be completed by choosing 2 hot air outlets.

	Complete kit	4011012	**675,00**

THE KIT INCLUDES:

FAN

Complete with housing and inspection hatch
(x2)

REMOTE CONTROL

Complete with electronic control unit
(x1)

FLEXIBLE PIPE

Ø 100 mm - L=1.5 m
(x2)

FLEXIBLE PIPE

Ø 60 mm - L=1.5 m
(x2)

FLANGE Ø 100

Ø 100 mm
(x2)

CLAMPS

(x8)

FLIP VENTILATION OUTLET

Complete with two lamps and air humidifier.

White glass/1 pc.	4012017	**215,00**

FLOAT VENTILATION OUTLET

Complete with two lamps and air humidifier.

White glass/white frame/1 pc.	4012018	**225,00**
White glass/black frame/1 pc.	4012019	**225,00**

GHOST VENTILATION OUTLET

Complete with one lamp and air humidifier.

White/1 pc.	4012020	**225,00**
Black/1 pc.	4012021	**225,00**

MINIMAL VENTILATION OUTLET

Backlit metal air vent, can be painted like back wall.

	4017009	**175,00**

SOFT VENTILATION OUTLET

Backlit ceramic air vent.

	4017010	**195,00**

MULTI 12 VENTILATION OUTLET

1 pc.	4009010	**27,00**

COMFORT AIR SLIM > ACCESSORIES

	VERSIONS AVAILABLE/CODE		€
	FLIP VENTILATION OUTLET		
Silk screen printed glass flipping air outlet to direct the flow of hot air. Metal support. Complete with two lamps and air humidifier.	White glass	4012017	**215,00**
	FLOAT VENTILATION OUTLET		
Silk screen printed glass air outlet and curved metal frame. Complete with two lamps and air humidifier.	White glass and white frame White glass and black frame	4012018 4012019	**225,00** **225,00**
	GHOST VENTILATION OUTLET		
Silk screen printed glass flipping air outlet. Brushed steel support. Complete with one lamp and air humidifier.	White glass Black glass	4012020 4012021	**225,00** **225,00**
	MINIMAL VENTILATION OUTLET		
Backlit metal air vent, can be painted like back wall.		4017009	**175,00**
	SOFT VENTILATION OUTLET		
Backlit ceramic air vent.		4017010	**195,00**
	MULTI 12 VENTILATION OUTLET		
	1 pc.	4009010	**27,00**
	REMOTE CONTROL		
Complete with electronic control unit.	1 pc.	4011006	**175,00**
	FAN		
Complete with housing and inspection hatch.	1 pc.	4011008	**215,00**
	FLEXIBLE PIPE		
Ø 100 mm - L=1.5 m Ø 100 mm insulated - L=10 m	1 pc. 1 pc.	40160049 4008049	**15,00** **145,00**
	FLEXIBLE PIPE		
Ø 60 mm - L=3 m insulated Ø 60 mm - L=1.5 m	1 pc. 1 pc.	4013005 4009003	**35,00** **17,00**
	FLANGE Ø 100		
Ø 100 mm	1 pc.	4008047	**9,00**

COMFORT AIR SLIM > ACCESSORIES

		VERSIONS AVAILABLE/CODE		€
	FLANGE Ø 60			
	Ø 60 mm	1 pc.	4011011	**7,00**
	Ø 60 STRAIGHT UNION			
	Ø 60 mm	1 pc.	4009008	**5,00**
	PIPE CLAMPS			
	Ø 60/170 mm	1 pc.	4008043	**4,00**
	BLADE VENTILATION OUTLET			
	Metal air outlet 99x6,1 cm	White	4011016	**36,00**
	Metal air outlet 60x6,7 cm	White	4012066	**20,00**
	LINE VENTILATION OUTLET			
	Metal air outlet 99x7,3 cm	White	4011017	**67,00**
	BIG VENTILATION OUTLET			
	Metal air outlet 51,6x18,5 cm	White	4011018	**40,00**

GHOST

FLOAT

FLIP

MINIMAL

SOFT

	VERSIONS AVAILABLE/CODE		€

VN HOOD KIT (natural ventilation)

Ventilation kit for standard connection with outlets positioned in the hood above the fireplace. The kit is completed by choosing 2 outlets (mono, bi or multidirectional).

	Complete kit	4008036	**120,00**

THE KIT INCLUDES:

VN DUCT FRAME
(x2)

FLEXIBLE PIPE
ø 150 mm - L=1.5 m
(x2)

FLANGE
ø 150 mm
(x2)

PIPE CLAMP
ø 60-170 mm
(x4)

FASTENING BRACKET ASSEMBLY
(x2)

MONO 20 > MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER

*The mono-directional air outlet with light code 4008023 must be installed on duct frame code 4008046

Without light	4008021	**90,00**
With light*	4008023	**215,00**

BI 20 > BI-DIRECTIONAL AIR OUTLET

	4008024	**77,00**

MULTI 20 > MULTI-DIRECTIONAL AIR OUTLET

	4008025	**27,00**

	VERSIONS AVAILABLE/CODE		€

FV HOOD KIT (forced ventilation)

Ventilation kit for standard connection with outlets positioned in the hood above the fireplace. The kit is completed by choosing 2 outlets (mono, bi or multidirectional).

	Complete kit	4008038	**470,00**

THE KIT INCLUDES:

FAN ASSEMBLY

(x2)

CONTROL UNIT

(x1)

FLEXIBLE PIPE

ø 100 mm - L=1.5 m
(x2)

FLANGE

ø 100 mm
(x2)

PIPE CLAMP

Ø 60/170 mm
(x4)

FASTENING BRACKET ASSEMBLY

(x2)

MONO 20 > MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER

Without light	4008021	**90,00**
With light	4008023	**215,00**

BI 20 > BI-DIRECTIONAL AIR OUTLET

	4008024	**77,00**

MULTI 20 > MULTI-DIRECTIONAL AIR OUTLET

	4008025	**27,00**

WOOD > COMFORT AIR BASIC > INDIVIDUAL ACCESSORIES (natural ventilation)

	VERSIONS AVAILABLE/CODE		€
WHEN TO USE THE INDIVIDUAL NV and FV ACCESSORIES. The 2 hood kits described in the previous two pages accommodate standard connections with air outlets located in the hood, above the glass-fronted fireplace. For other types of solutions, the use of the individual NV and FV accessories described on these two pages is required.			
MONO 20 > MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER Warning: the mono-direc. air outlet with light code 4008023 must be installed on duct frame code 4008046	Without light With light	4008021 4008023	**90,00** **215,00**
BI 20 > BI-DIRECTIONAL AIR OUTLET Warning: the air outlet must be installed on duct frame code 4008044		4008024	**77,00**
MULTI 20 > MULTI-DIRECTIONAL AIR OUTLET Warning: the air outlet must be installed on duct frame code 4008044		4008025	**27,00**
VN DUCT FRAME + BRACKET		4008044	**38,00**
NV DUCT FRAME WITH LIGHT + BRACKET		4008046	**87,00**
FLEXIBLE PIPE ø 150 mm - L=1.5 m		40160051	**16,00**
FLANGE ø 150 mm for NV		40120167	**7,00**
PIPE CLAMP ø 60-170 mm		4008043	**4,00**
BASIC > VENTILATION GRILLE	99x5,2 cm	4008040	**22,00**
BASIC FILTER > FILTERED AIR OUTLET	53,5x16,5 cm	4008039	**88,00**

WOOD > COMFORT AIR BASIC > INDIVIDUAL ACCESSORIES (forced ventilation)

	VERSIONS AVAILABLE/CODE		€
	MONO 20 > MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER		
	Without light	4008021	**90,00**
	With light	4008023	**215,00**
	BI 20 > BI-DIRECTIONAL AIR OUTLET		
		4008024	**77,00**
	MULTI 20 > MULTI-DIRECTIONAL AIR OUTLET		
		4008025	**27,00**
	FAN ASSEMBLY + BRACKET		
		4008050	**150,00**
	CONTROL UNIT		
	Complete with probe and power supply cable	4008026	**120,00**
	FLEXIBLE PIPE		
	ø 100 mm - L=1.5 m	40160049	**15,00**
	ø 100 mm insulated - L=10 m insulated	4008049	**145,00**
	FLANGE		
	ø 100 mm for FV	4008047	**9,00**
	PIPE CLAMP		
	ø 60-170 mm	4008043	**4,00**
	RECESSED BOX		
		4008051	**50,00**
	BASIC > VENTILATION GRILLE		
	99x5,2 cm	4008040	**22,00**
	BASIC FILTER > FILTERED AIR OUTLET		
	53,5x16,5 cm	4008039	**88,00**

COMFORT AIR BASIC > EXAMPLE

	VERSIONS AVAILABLE/CODE		PZ.
WHEN TO USE THE SINGLE ACCESSORIES - EXAMPLE			
The two hood kits accommodate standard connections with air outlets located above the glass-fronted fireplace. For other types of solutions, the use of NV and FV individual accessories is required. For example, to duct air to a distance of 6 m, with two forced ventilation air outlets, the following accessories are required:			
MONO/BI/MULTI-DIRECTIONAL AIR OUTLET			
As desired.		4008021 4008023 4008024 4008025	**2**
FAN ASSEMBLY + BRACKET			
		4008050	**2**
CONTROL UNIT			
Complete with probe and power supply cable - can control up to 2 motors.		4008026	**1**
FLEXIBLE PIPE			
	ø 100 mm - L=1.5 m ø 100 mm insulated - L=10 m insulated	40160049 4008049	**2**
FLANGE			
ø 100 mm for FV		4008047	**2**
PIPE CLAMP			
ø 60-170 mm		4008043	**4**
IT IS ALSO POSSIBLE TO ADD:			
RECESSED BOX			
Contains and protects the fan when it is to be recessed in a stone or brick wall.		4008051	
BASIC > VENTILATION GRILLE			
For convection hot air inlet/outlet, instead of normal grilles.	99x5,2 cm	4008040	
BASIC FILTER > FILTERED AIR OUTLET			
Allows filtering and purification of the inlet air.	53,5x16,5 cm	4008039	

COMFORT AIR®

WOOD > GENERAL ACCESSORIES

		VERSIONS AVAILABLE/CODE		€
	HOT AIR OUTLET KIT One (1) adjustable nozzle, ø 15 cm 20x20 cm One (1) flexible aluminium pipe, ø 15 cm, L = 150 cm One (1) connection flange, ø 15 cm Two (2) clamps >PLASMA >FORMA >VIVO	White nozzle Brass coated nozzle	40160067 40160072	**65,00** **85,00**
	DUAL HOT AIR OUTLET KIT WITH LARGE NOZZLE One (1) large nozzle with unions ø 15 cm - 50x20 cm Two (2) flexible aluminium pipes, ø 15 cm, L = 150 cm Four (4) clamps Two (2) flange unions ø 15 cm >PLASMA >FORMA >VIVO	White nozzle Brass coated nozzle	40160073 40160074	**130,00** **140,00**
	SQUARE NOZZLE WITH CAP AND UNION Ø 15 cm cm 20x20 >PLASMA >FORMA >VIVO	White nozzle Brass coated nozzle	40160007 40160009	**52,00** **57,00**
	ADJUSTABLE HOOD VENTILATION OUTLET WITH CAP cm 25x10 >PLASMA >FORMA >BOXTHERM	White nozzle Brass coated nozzle	40160001 40160002	**55,00** **56,00**
	EXTRA-FLEXIBLE ALUMINIUM AIR SUCTION PIPE 10 m - Maximum operating temperature 140 °C. >PLASMA >FORMA >VIVO >BOXTHERM	Ø cm 15 Ø cm 10	40160441 40160440	**94,00** **75,00**
	FLEXIBLE ALUMINIUM PIPE FOR HOT AIR DUCTING 1.5 m >PLASMA >FORMA	Ø cm 15	40160051	**16,00**

WOOD > GENERAL ACCESSORIES

	VERSIONS AVAILABLE/CODE		€
2-WAY UNION FOR HOT AIR DUCTS			
	Ø cm 15*	40160035	**71,00**
	Ø cm 10	40160025	**52,00**
>PLASMA* >FORMA* >VIVO >BOXTHERM*			
PIPE IN ALUMINIUM COVERED STEEL			
L=50 cm - thickness 2 mm	Ø cm 16	40160085	**30,00**
	Ø cm 18	40160081	**30,00**
	Ø cm 20*	40160041	**32,00**
	Ø cm 25*	40160043	**38,00**
	Ø cm 30	40160047	**43,00**
>PLASMA* >FORMA* >VIVO* >BOXTHERM			
PIPE IN ALUMINIUM COVERED STEEL			
L=25 cm - thickness 2 mm	Ø cm 16	40160086	**17,00**
	Ø cm 18	40160080	**18,00**
	Ø cm 20*	40160040	**19,00**
	Ø cm 25*	40160042	**21,00**
	Ø cm 30	40160044	**29,00**
>PLASMA* >FORMA* >VIVO* >BOXTHERM			
CURVE IN ALUMINIUM COVERED STEEL			
45° - thickness 2 mm	Ø cm 16	40160087	**30,00**
	Ø cm 18	40160082	**24,00**
	Ø cm 20*	40160017	**24,00**
	Ø cm 25*	40160018	**33,00**
	Ø cm 30	40160019	**49,00**
>PLASMA* >FORMA* >VIVO* >BOXTHERM			
EXTENSION IN ALUMINIUM COVERED STEEL			
Thickness 2 mm	Ø cm 16 - cm 18	40160275	**52,00**
	Ø cm 16 - cm 20	40160088	**54,00**
	Ø cm 18 - cm 20	40160083	**65,00**
	Ø cm 18 - cm 25	40160107	**64,00**
	Ø cm 20 - cm 25*	40160022	**66,00**
	Ø cm 25 - cm 30*	40160024	**68,00**
	Ø cm 20 - cm 30*	40160023	**78,00**
>PLASMA* >FORMA* >VIVO* >BOXTHERM			
PIPE WITH 50 CM ADJUSTMENT			
For use as draught adjuster.	Ø cm 20 - cm 50	40160313	**97,00**
	Ø cm 25 - cm 50	40160314	**103,00**
>PLASMA >FORMA >VIVO			

WOOD > GENERAL ACCESSORIES

	VERSIONS AVAILABLE/CODE		€
FLANGE			
For connecting pipes to the glass-fronted fireplace.	Ø cm 10	40120165	**6,00**
	Ø cm 15*	40120167	**7,00**
>PLASMA* >FORMA* >BOXTHERM			
CERAMIC FIBRE MAT			
Pack containing 8.92 m^2 of ceramic fibre mat	Roll width 0.60 m.	40180129	**140,00**
>PLASMA >FORMA >VIVO >BOXTHERM			
STIFF INSULATION PANEL			
100x61 cm, thickness 2.5 cm.		40180039	**98,00**
>PLASMA >FORMA >VIVO >BOXTHERM			
TOUCH-UP PAINT			
Water-based silicone spray paint - 400 ml	Black	4017011	**21,00**
>PLASMA >FORMA >VIVO >BOXTHERM			
GLASS SPRAY CLEANER			
Product for cleaning glass-fronted fireplace and stove glass surfaces. Contents 0.75 l. per bottle Pack of 12 bottles.	Minimum pack 12 pcs.	40180012	**120,00**

	VERSIONS AVAILABLE/CODE		€
	DHW-OV FIREPLACE KIT WITH CONTROL UNIT.		
	Hydrotherm and Hydrosystem accessory (only for open vessel) Actions: -heating with fireplace -production of domestic hot water with fireplace. (The photo is indicative)	4015025	**705,00**
	OV BOILER-FIREPLACE KIT WITH CONTROL UNIT.		
	Hydrotherm accessory (only for open vessel) Actions: -heating with fireplace -heating and production of domestic hot water with boiler. (The photo is indicative)	4015026	**745,00**
	DHW-OV BOILER-FIREPLACE KIT WITH CONTROL UNIT		
	Hydrotherm accessory (only for open vessel) Actions: -heating with fireplace -heating with boiler -domestic hot water production with fireplace and heating with boiler. (The photo is indicative)	4015027	**1.125,00**
	PIPE IN ALUMINIUM COVERED STEEL		
	L=50 cm - thickness 2 mm	Ø cm 20 Ø cm 25 Ø cm 30	40160041 40160043 40160047	**32,00** **38,00** **43,00**
	PIPE IN ALUMINIUM COVERED STEEL		
	L=25 cm - thickness 2 mm	Ø cm 20 Ø cm 25 Ø cm 30	40160040 40160042 40160044	**19,00** **21,00** **29,00**
	CURVE IN ALUMINIUM COVERED STEEL		
	45° - thickness 2 mm	Ø cm 20 Ø cm 25 Ø cm 30	40160017 40160018 40160019	**24,00** **33,00** **49,00**

	VERSIONS AVAILABLE/CODE		€
	EXTENSION IN ALUMINIUM COVERED STEEL		
	Thickness 2 mm	Ø cm 20 - cm 25	40160022	**66,00**
		Ø cm 25 - cm 30	40160024	**68,00**
		Ø cm 20 - cm 30	40160023	**78,00**
	PIPE WITH 50 CM ADJUSTMENT		
	For use as draught adjuster. **Important note:** **ø 20 mm for HYDROTHERM 70** **ø 25 mm for HYDROTHERM 80.**	Ø cm 20 - cm 50	40160313	**97,00**
		Ø cm 25 - cm 50	40160314	**103,00**
	FLANGE		
	For connecting pipes to the glass-fronted fireplace. Ø cm 15 for Airsystem glass-fronted fireplaces	Ø cm 15	40120167	**7,00**
	CERAMIC FIBRE MAT		
	Pack containing 8.92 m² of ceramic fibre mat	Roll width 0.60 m.	40180129	**140,00**
	STIFF INSULATION PANEL		
	100x61 cm, thickness 2.5 cm.		40180039	**98,00**
	TOUCH-UP PAINT		
	Water-based silicone spray paint - 400 ml	Black	4017011	**21,00**

		VERSIONS AVAILABLE/CODE		€
	GLASS SPRAY CLEANER Product for cleaning glass-fronted fireplace and stove glass surfaces. Contents 0.75 l. per bottle Pack of 12 bottles.	Minimum pack 12 pcs.	40180012	**120,00**

GUTTUSO

kg 82 (_310)
kg 100 (_209)

Forma/Plasma 95 Wood - cm 169,8 x 10,4 x 84,3
Forma 75 DX/SX Wood*

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Stainless steel or polished Piasentina stone: cladding

	DESCRIPTION/CODE		€
VERSION FOR FORMA B95 WOOD			
Wall (as in photo)	Stainless steel metal_310 (as in photo)	620225	**1.330,00**
Wall	Pietra piasentina_209	620226	**1.735,00**
VERSION FOR PLASMA 95 WOOD/B95 WOOD			
Wall	Stainless steel metal_310	620225	**1.330,00**
Wall	Pietra piasentina_209	620226	**1.735,00**
VERSION FOR FORMA 75 R/H L/H WOOD			
Right corner	Stainless steel metal_310	6211003R	**930,00**
Left corner	Stainless steel metal_310	6211003L	**930,00**
Right corner	Steel grey_247	6211004R	**930,00**
Left corner	Steel grey_247	6211004L	**930,00**

WHILE STOCKS LAST

*Contact the MCZ engineering department for measurements.

KLEE

kg 60 Forma/Plasma 115 Wood - cm 152,8 x 6,4 x 50
kg 55 Forma/Plasma 95 Wood - cm 130,8 x 6,4 x 50

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Aged slate stone_203: side elements
Copper metal_309: structure

DESCRIPTION/CODE		€
VERSION FOR PLASMA 115 WOOD		
Wall	620236	**1.095,00**
VERSION FOR PLASMA 95 WOOD		
Wall	620231	**1.010,00**

DE CHIRICO

kg 45 Forma/Plasma 115 Wood - cm 187 x 5 x 81,2

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Copper metal_309

VERSION FOR PLASMA 115 WOOD		
Wall	620235	**1.145,00**

	DESCRIPTION/CODE		€
VERSION FOR FORMA B95 WOOD			
Wall		620140	**1.840,00**

GAUGUIN

kg 85

Forma 95 Wood - cm 155 x 23 x 85

PRODUCT TYPE:
Wall cladding with shelf.

MATERIALS:
Aged slate stone_203: cladding
Stainless steel metal_310: shelf

! WHILE STOCKS LAST

GOYA

kg 32

Forma 65 Wood - cm 83 x 30 x 107,7
Hydrotherm 70*

PRODUCT TYPE:
Wall cladding with wood storage compartment.

MATERIALS:
Rust metal_312: cladding
Black painted steel_303: structure

VERSION FOR HYDROTHERM 70V				
Wall		Rust metal_312	6212007	**1.400,00**
VERSION FOR FORMA 65 WOOD				
Wall (as in photo)		Rust metal_312	620130	**1.340,00**
DEDICATED ACCESSORIES				
	Protective wax for rust (included in the cladding)		4010016	**50,00**

! WHILE STOCKS LAST

*Contact the MCZ engineering department for measurements.

MOON

kg 37 Vivo 70 Wood - cm 101,5 x 94,5 x 5
kg 40 Vivo 90 Wood - cm 118,5 x 86,4 x 5

PRODUCT TYPE:
Wall cladding.

MATERIALS:
White technical marble_214: frame

	DESCRIPTION/CODE	€
VERSION FOR VIVO 70 WOOD		
Wall	6309027	**2.125,00**
VERSION FOR VIVO 90 WOOD		
Wall (as in photo)	6309028	**2.225,00**

	DESCRIPTION/CODE	€

LINE

kg 30 Vivo 70 Wood - cm 101,3 x 86,2 x 18,7
kg 33 Vivo 90 Wood - cm 118,3 x 78 x 18,7

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Black metal_303: frame

VERSION FOR VIVO 70 WOOD			
	Wall	6309025	**525,00**
VERSION FOR VIVO 90 WOOD			
	Wall (as in photo)	6309026	**625,00**

PRIME

kg 32 Vivo 70 Wood - cm 101,5 x 94,5 x 4
kg 35 Vivo 90 Wood - cm 118,5 x 86,4 x 4

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Slate technical marble_215: frame

	DESCRIPTION/CODE		€
VERSION FOR VIVO 70 WOOD			
	Wall	6309029	**1.585,00**
VERSION FOR VIVO 90 WOOD			
	Wall (as in photo)	6309030	**1.675,00**

RIMINI

kg 120 Hydrotherm 70 LH-RH - 155 x 60 x 77.8 cm
Forma 95 Wood LH-RH*

PRODUCT TYPE:
90° corner cladding

MATERIALS:
Flamed and brushed Africa Black_220: fire bed
Brushed Mustard stone_210: riser, sides
Black painted steel_303: hood support

VERSION FOR HYDROTHERM 70 RH/LH			
	Right corner	6309008	**2.040,00**
	Left corner (as in photo)	6309007	**2.040,00**

! WHILE STOCKS LAST

*Contact the MCZ engineering department for measurements.

THOR

POWER | % | Ø | Kg | ⇲

kW 7,2 | 83,1% | Ø cm 15 | kg 110 | cm 51,6 x 40,3 x 103

comfort air | oyster | no air | A+ Model: THOR

PRODUCT TYPE:
Wood burning sealed stove with natural convection Patented primary/ secondary air combustion control system with push/pull system. Smoke outlet, including rear. Automatic door closing.

MATERIALS:
Steel: structure
Alutec®: firebox
Cast iron: door, fire plane, top

	DESCRIPTION/CODE	€
CLADDING		
Thor structure + Black metal_303	7113201	**1.950,00**
Thor structure + Silver metal dark_317	7113202	**1.950,00**
DEDICATED ACCESSORIES		
comfort air — **Air ventilation**	4013011	**485,00**

STRIPE Overnight

POWER | % | Ø | Kg | ⇲

kW 7,2 | 83,1% | Ø cm 15 | kg 190 | cm 53,8 x 45,6 x 145

comfort air | oyster | over night | A+ Model: STRIPE Overnight

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Patented primary/ secondary air combustion control system with push/pull system. Heat accumulation system with refractory material. Rear smoke outlet pipe also available. Self closing door.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Cast iron: door, fire bed

STRUCTURE		
Stripe	7112201	**1.860,00**
CLADDINGS		
Black metal_303	6912001	**465,00**
Aluminium metal_315	6912002	**465,00**
DEDICATED ACCESSORIES		
Rear smoke outlet 90° elbow Rear smoke outlet closing plug included.	4012001	**85,00**
comfort air — **Air ventilation**	4013007	**485,00**

STUB

POWER | % | Ø | Kg |

kW 7,2 | 83,1% | Ø cm 15 | kg 140 | cm 51,5 x 51,5 x 116,5

oyster | A+ Model: STUB

VERSION WITH TOP SMOKE OUTLET AND NON-DUCTED COMBUSTION AIR

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Patented primary/secondary air combustion control system with push/pull system. Self closing door.

MATERIALS:
Steel: structure, door
Alutec®: combustion chamber
Ceramic: sides, front panels
Cast iron: fire bed

	DESCRIPTION/CODE	€
STRUCTURE		
Stub	7112203	**1.755,00**
CLADDINGS		
White ceramic_102	6912006	**575,00**
Black ceramic_107	6912003	**575,00**

STUB

POWER | % | Ø | Kg |

kW 7,2 | 83,1% | Ø cm 15 | kg 140 | cm 51,5 x 55,5 x 116,5

oyster | A+ Model: STUB

VERSION WITH REAR SMOKE OUTLET OPTION AND DUCTED COMBUSTION AIR OPTION

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Patented primary/secondary air combustion control system with push/pull system. Self closing door.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: sides, front panels
Cast iron: fire bed

STRUCTURE		
Stub	7112203	**1.755,00**
CLADDINGS		
White ceramic_102	6912024	**625,00**
Black ceramic_107	6912023	**625,00**

	DESCRIPTION/CODE	€

STUB Overnight

POWER	%	Ø	Kg	
kW 7,2	83,1%	Ø cm 15	kg 260	cm 51,5 x 55,5 x 158

oyster | over night | A+ *Model: STUB Overnight*

UPPER SMOKE OUTLET AND DUCTLESS COMBUSTION AIR VERSION

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Patented primary/ secondary air combustion control system with push/pull system. Heat accumulation system with refractory material. Self closing door.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: cladding
Cast iron: fire bed

STRUCTURE			
	Stub	7112203	**1.755,00**
CLADDINGS			
	White ceramic_102	6912007	**1.140,00**
	Black ceramic_107	6912004	**1.140,00**

STUB Overnight

POWER | % | Ø | Kg |

kW 7,2 | 83,1% | Ø cm 15 | kg 260 | cm 51,5 x 55,5 x 158

oyster | over night | A+ *Model: STUB Overnight*

VERSION WITH REAR DUCTED COMBUSTION AIR AND TOP OR REAR SMOKE OUTLET OPTION

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Patented primary/secondary air combustion control system with push/pull system. Heat accumulation system with refractory material. Self closing door.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: cladding
Cast iron: fire bed

	DESCRIPTION/CODE	€
STRUCTURE		
Stub	7112203	**1.755,00**
CLADDINGS		
White ceramic_102	6912008	**1.190,00**
Black ceramic_107	6912005	**1.190,00**
DEDICATED ACCESSORIES		
Rear smoke outlet 90° elbow Rear smoke outlet closing plug included.	4012001	**85,00**

BAHR

POWER | % | Ø | Kg |

kW 7 | 84,7% | Ø cm 15 | kg 135 | cm 55 x 47,4 x 101,1

oyster | A+ *Model: BAHR*

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Rear smoke outlet pipe also available.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: top
Cast iron: door, fire bed

STRUCTURE		
Bahr	7111201	**1.365,00**
CLADDINGS		
White ceramic_102	6911003	**160,00**
Warm grey ceramic_113	6911004	**160,00**
Bordeaux ceramic_105	6911005	**160,00**
Black ceramic_107	6911006	**160,00**
DEDICATED ACCESSORIES		
Humidifier For positioning on the top smoke outlet pipe when the rear one is used.	4011013	**52,00**

! WHILE STOCKS LAST

KASAI

POWER | % | Ø | Kg | dimensions

kW 9 | 78,2% | Ø cm 15 | kg 150 | cm 53,6 x 47,2 x 112

comfort air | oyster | ECODESIGN 2022 | A | *Model: KASAI*

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Designed for integration with tangential fan or with Comfort Air® kit. Rear smoke outlet pipe also available.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Aluminium: front frame
Cast iron: door, front panel, fire bed

	DESCRIPTION/CODE			€
STRUCTURE				
	Kasai		7111202	**1.535,00**
CLADDINGS				
	Black metal_303		6911007	**455,00**
	Aluminium metal_315		6911008	**455,00**
DEDICATED ACCESSORIES				
	Air ventilation kit Complete with switch and probe.	250 m³/h	4011014	**170,00**
	Humidifier For positioning on the top smoke outlet pipe when the rear one is used.		4011013	**52,00**
	Comfort Air ducting kit To duct hot air to rooms adjacent to the room in which the stove is installed. It includes: radial fan, potentiometer, housing, probe and switch. Pipes and hot air outlets not included. > p. 138		4012026	**235,00**

VELD

POWER | % | Ø | Kg | dimensions

kW 7 | 84,7% | Ø cm 15 | kg 175 | cm 53,5 x 45,5 x 112,4

oyster | ECODESIGN 2022 | A+ | *Model: VELD*

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Designed for integration with tangential fan.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: sides, front panels
Cast iron: door, top, base, fire bed

	DESCRIPTION/CODE			€
STRUCTURE				
	Veld		7111203	**1.640,00**
CLADDINGS				
	White ceramic_102		6911009	**610,00**
	Warm grey ceramic_113		6911010	**610,00**
	Bordeaux ceramic_105		6911011	**610,00**
	Black ceramic_107		6911012	**610,00**
DEDICATED ACCESSORIES				
	Air ventilation kit Complete with switch and probe.	250 m³/h	4011014	**170,00**

SAVA

POWER			Kg	
kW 7	84,7%	Ø cm 15	kg 150	cm 53,5 x 45,5 x 145,5

oyster · ECODESIGN 2022 · A+ *Model: SAVA*

PRODUCT TYPE:
Sealed wood-burning stove with natural convection equipped with an oven.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: sides, front panels
Cast iron: door, top, base, fire bed

	DESCRIPTION/CODE	€
STRUCTURE		
Sava	7111204	**2.375,00**
CLADDINGS		
White ceramic_102	6911013	**770,00**
Warm grey ceramic_113	6911014	**770,00**
Bordeaux ceramic_105	6911015	**770,00**
Black ceramic_107	6911016	**770,00**

	DESCRIPTION/CODE	€

NOGAL

POWER	%	Ø	Kg	
kW 7	84,7%	Ø cm 15	kg 135	cm 51,5 x 48 x 98

oyster · ECODESIGN 2022 · A+ · *Model: NOGAL*

PRODUCT TYPE:
Sealed wood-burning stove with natural convection. Designed for integration with tangential fan. Rear smoke outlet pipe also available.

MATERIALS:
Steel: structure
Alutec®: combustion chamber
Ceramic: top (also available in soapstone)
Cast iron: door, fire bed

STRUCTURE				
	Nogal		7111205	**1.435,00**
CLADDINGS				
	White ceramic_102		6911017	**160,00**
	Serpentino_240		6911018	**190,00**
	Bordeaux ceramic_105		6911019	**160,00**
	Black ceramic_107		6911020	**160,00**
DEDICATED ACCESSORIES				
	Air ventilation kit Complete with switch and probe.	250 m³/h	4011014	**170,00**
	Humidifier For positioning on the top smoke outlet pipe when the rear one is used.		4011013	**52,00**

	DESCRIPTION/CODE	€

NADIR

POWER			Kg	
kW 8	85%	Ø cm 15	kg 140	cm 52 x 48,7 x 111,5

A+ *Model: NADIR*

PRODUCT TYPE:
Wood-burning stove with natural convection.

MATERIALS:
Steel: structure
Painted metal: sides
Alutec®: combustion chamber
Ceramic/Soapstone: top
Cast iron: fire bed

VERSIONS

	Black ceramic_107 (top) Silver metal_313 (sides)	70230	**2.165,00**
	Soapstone_202 (top) Black metal_303 (sides)	70231	**2.265,00**

! WHILE STOCKS LAST

	VERSIONS AVAILABLE/CODE		€
	COMFORT AIR® DUCTING KIT The kit allows you to duct the hot air to rooms adjacent to the room in which the stove is installed. It includes: radial fan, potentiometer, housing, probe, switch and 60 mm union. Pipes and hot air outlets not included (the kit 4011044 or any of the accessories shown hereafter can be used).	4012026	**235,00**
	Ø 60 mm DUCTING KIT Complete kit for ducting air up to 1.5 m. Kit contents: One (1) 90° union One (1) flex pipe L = 1.5 m Four (4) clamps One (1) Ø 60 fan/pipe union Choose the hot air outlets to complete the kit	4011044	**80,00**
	Ø 60 mm FAN/PIPE UNION Union for ducting with Ø 60 mm pipe. Kit contents: One (1) Ø 60 fan/pipe union Two (2) screws One (1) clamp	4009007	**16,00**
	FLIP HOT AIR OUTLET Complete with two lamps and air humidifier.	White 4012017	**215,00**
	FLOAT HOT AIR OUTLET Complete with two lamps and air humidifier.	White Black/white (as in photo)	4012018 4012019	**225,00** **225,00**
	GHOST HOT AIR OUTLET Complete with one lamp and air humidifier.	White glass Black glass	4012020 4012021	**225,00** **225,00**

	VERSIONS AVAILABLE/CODE		€
MINIMAL HOT AIR OUTLET			
Backlit metal air vent, can be painted like back wall.	Cm 21,5x21,5	4017009	**175,00**
SOFT HOT AIR OUTLET			
Backlit ceramic air vent.	Cm 25x25	4017010	**195,00**
MULTI 12 HOT AIR OUTLET			
Kit contents: One (1) 120x120 mm multi-directional hot air outlet One (1) frame One (1) Ø 60 flange One (1) Ø 60 plug Four (4) screws One (1) clamp		4009010	**27,00**
Ø 60 mm STRAIGHT UNION			
Ducting connection union. Kit contents: One (1) Ø 60 straight union Two (2) clamps		4009008	**5,00**
Ø 60 mm "Y" UNION			
Union to divert the flow of hot air in 2 ducts. Kit contents: One (1) Y union Three (3) clamps		4009009	**14,00**
Ø 60 mm 90° CURVE			
Kit contents: One (1) 90° union Three (3) clamps		4009011	**10,00**

	VERSIONS AVAILABLE/CODE		€
	FLEX PIPE Ø 60		
	L = 8 m	4009017	**38,00**
	L = 1,5 m	4009003	**17,00**
	INSULATED FLEX PIPE		
	Ø 60 mm interior/ 110 mm exterior L= 3 m	4013005	**35,00**
	STRAIGHT PIPE		
	Painted pipe, 25 / 50 / 100 cm		
	L. 25 cm - ø 15 cm - black	40160112	**21,00**
•	L. 25 cm - ø 15 cm - grey	40160174	**21,00**
	L. 50 cm - ø 15 cm - black	40160113	**31,00**
•	L. 50 cm - ø 15 cm - grey	40160175	**31,00**
	L. 100 cm - ø 15 cm - black	40160114	**41,00**
•	L. 100 cm - ø 15 cm - grey	40160176	**45,00**
	PIPE WITH VALVE		
	Painted pipe		
	L. 30 cm - ø 15 cm - black	40160117	**37,00**
•	L. 30 cm - ø 15 cm - grey	40160177	**37,00**
	90° CURVE		
	Painted curve with or without inspection hole		
	ø 15 cm - black	40160123	**44,00**
•	ø 15 cm - grey	40160178	**44,00**
	W/ insp. hole - ø 15 cm - black	40160134	**49,00**
•	W/ insp. hole - ø 15 cm - grey	40160179	**50,00**
	45° CURVE		
	Painted curve with or without inspection hole		
	ø 15 cm - black	40160120	**41,00**
	ø 15 cm - grey	40160169	**41,00**
	W/ insp. hole - ø 15 cm - black	40160137	**49,00**
	W/ insp. hole - ø 15 cm - grey	40160170	**50,00**

	VERSIONS AVAILABLE/CODE		€
90° SWIVEL CURVE			
Painted curve with inspection hole	ø 15 cm - black	40160090	**57,00**
	ø 15 cm - grey	40160171	**57,00**
WALL FLANGE			
Painted wall flange	ø 15.5 cm - black	40160132	**16,00**
	ø 15.5 cm - grey	40160172	**16,00**
WALL UNION			
Pipe for wall union L. 25 cm	ø 15 cm - black	40160129	**35,00**
	ø 15 cm - grey	40160173	**35,00**
FLOOR PROTECTION			
Available in anthracite colour painted metal and in tempered glass (as in photo) 90x100 cm (width x depth) Glass thickness: 5 mm	Anthracite painted metal	40140139	**100,00**
	Tempered glass	40170147	**141,00**
TOUCH-UP PAINT			
Water-based silicone spray paint Check on the unit for the code to use.	Black - 400 ml	4017011	**21,00**
	Coal - 200 ml	40180043	**20,00**
GLASS SPRAY CLEANER FOR GLASS-FRONTED FIREPLACES AND STOVES			
Contents 0.75 l. per bottle Pack of 12 bottles.	Minimum pack 12 pcs.	40180012	**120,00**

• WHILE STOCKS LAST

GAS

FORMA 95 Gas

POWER | Ø | ↳

kW 6,4** Ø cm 15/10 cm 88,9 x 36,6 x 58,7

comfort air | B

PRODUCT TYPE:
Gas operated glass-fronted fireplace for the production of heat convection. The hot air can be ducted using the Comfort Air® kit.

MATERIALS:
Steel: structure
Glass-ceramic: glass

SUPPLIED AS STANDARD WITH:
Remote control - Log burner - Gas valve inspection hatch

	DESCRIPTION/CODE			€
VERSION				
	Forma 95 Gas	Methane**	5109001	**3.495,00**
	Forma 95 Gas	LPG/30	5109011	**3.495,00**
	Forma 95 Gas	LPG/50	5109021	**3.495,00**
DEDICATED ACCESSORIES				
	Comfort Air Hood Connection system between Forma 95 Gas and Comfort Air accessories. (also displayed in the main glass-fronted fireplace photo)		4010008	**75,00**
comfort air	**Comfort Air* Kit** > p. 148	Slim Basic	4011045 4010010	**450,00** **290,00**
	Two (2) ventilation grilles*		4009054	**72,00**
	Pebbles	For Forma 95 Gas	4009055	**40,00**

*One of these two accessories must be used on FORMA GAS for it to work correctly.

FORMA 115 Gas

POWER | Ø | ↳

kW 7,2** Ø cm 15/10 cm 114,3 x 36,6 x 67

comfort air | B

PRODUCT TYPE:
Gas operated glass-fronted fireplace for the production of heat convection. The hot air can be ducted using the Comfort Air® kit.

MATERIALS:
Steel: structure
Glass-ceramic: glass

SUPPLIED AS STANDARD WITH:
Remote control - Log burner - Gas valve inspection hatch

	DESCRIPTION/CODE			€
VERSION				
	Forma 115 Gas	Methane**	5109002	**3.805,00**
	Forma 115 Gas	LPG/30	5109012	**3.805,00**
	Forma 115 Gas	LPG/50	5109022	**3.805,00**
DEDICATED ACCESSORIES				
	Comfort Air Hood Connection system between Forma 115 Gas and Comfort Air accessories.		4010009	**80,00**
comfort air	**Comfort Air* Kit** > p. 148	Slim Basic	4011045 4010010	**450,00** **290,00**
	Two (2) ventilation grilles*		4009054	**72,00**
	Pebbles	For Forma 115 Gas	4009056	**50,00**

*One of these two accessories must be used on FORMA GAS for it to work correctly.

	DESCRIPTION/CODE		€
VERSION FOR FORMA 95 GAS			
Wall	Inox_310	6210016	**510,00**
VERSION FOR FORMA 115 GAS			
Wall	Inox_310	6210018	**510,00**

NATURAL

kg 6,5 Forma 95 Gas - cm 93,8 x 56,9 x 3,5
kg 8 Forma 115 Gas - cm 118 x 65 x 3,5

PRODUCT TYPE:
Wall cladding frame.

MATERIALS:
Stainless steel/Painted steel with brushed rust effect*

VERSION FOR FORMA 95 GAS			
Wall		6210020	**1.840,00**

GAUGUIN

kg 90 Forma 95 Gas - cm 155 x 85 x 23

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Aged slate stone_203: cladding
Stainless steel_310: shelf

	DESCRIPTION/CODE	€

KLEE

kg 20 Forma 95 Gas - cm 123 x 36,1 x 6,3
kg 25 Forma 115 Gas - cm 147,9 x 44,7 x 7

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Aged slate stone_203: side elements
Copper metal_309: upper and lower blades

VERSION FOR FORMA 95 GAS			
	Wall	6210021	**1.010,00**
VERSION FOR FORMA 115 GAS			
	Wall	6210022	**1.095,00**

DE CHIRICO

kg 42 Forma 115 Gas - cm 185 x 81,2 x 5

PRODUCT TYPE:
Wall cladding.

MATERIALS:
Copper metal_309

VERSION FOR FORMA 115 GAS			
	Wall	6210023	**1.145,00**

	VERSIONS AVAILABLE/CODE		€
ROOF DISCHARGE TERMINAL (LONG)			
100/150 mm		4009029	**260,00**
WALL DISCHARGE TERMINAL			
100/150 mm		4009030	**180,00**
COAXIAL PIPE			
100/150 mm	100 cm	4009031	**125,00**
	50 cm	4009032	**90,00**
50 CM COAXIAL RETRACTABLE PIPE			
100/150 mm		4009033	**90,00**
TELESCOPIC COAXIAL PIPE			
100/150 mm	33-44 cm	4009034	**145,00**
	95-174 cm	4009045	**305,00**
90° COAXIAL CURVE			
100/150 mm		4009035	**135,00**
SHORT 90° COAXIAL CURVE			
100/150 mm		4009036	**165,00**
INSPECTABLE 90° COAXIAL CURVE			
100/150 mm		4009037	**290,00**
45° COAXIAL CURVE			
100/150 mm		4009038	**110,00**
FLAT ROOF UNION			
		4009039	**55,00**
ADAPTABLE ROOF UNION			
		4009040	**85,00**
WALL CABLE CLAMP Ø 15 CM			
		4009041	**15,00**
WALL PROTECTION (ON BOTH SIDES)			
		4009042	**270,00**
STAINLESS STEEL FASTENER			
		4009043	**20,00**
BLACK COAXIAL PIPE OVER ROOF			
100/150 mm		4009044	**165,00**
INSPECTABLE PIPE WITH 16 CM OPENING			
100/150 mm		4009046	**90,00**

GAS > COMFORT AIR SLIM - freely positionable motor (forced ventilation)

SLIM FV VENTILATION KIT

	VERSIONS AVAILABLE/CODE		€
Ventilation kit for standard connection with hot air outlets positioned in the hood or remotely and motor positioned freely between the glass-fronted fireplace and the hot air outlet. The hood kit should be completed by choosing 1 hot air outlet.	Complete kit	4011045	**450,00**

THE KIT INCLUDES:

FAN

Complete with housing and inspection hatch
(x1)

REMOTE CONTROL

Complete with electronic control unit
(x1)

FLEXIBLE PIPE

Ø 100 mm - L=1,5 m (x1)
Ø 60 mm - L=1,5 m (x1)

FLANGE Ø 100

Ø 100 mm
(x1)

CLAMPS

(x4)

FLIP VENTILATION OUTLET

Complete with two lamps and air humidifier.

White glass/1 pc.	4012017	**215,00**

FLOAT VENTILATION OUTLET

Complete with two lamps and air humidifier.

White glass/white frame/1 pc.	4012018	**225,00**
White glass/black frame/1 pc.	4012019	**225,00**

GHOST VENTILATION OUTLET

Complete with one lamp and air humidifier.

White/1 pc.	4012020	**225,00**
Black/1 pc.	4012021	**225,00**

MINIMAL VENTILATION OUTLET

Backlit metal air vent, can be painted like back wall.

Cm 21,5x21,5	4017009	**175,00**

SOFT VENTILATION OUTLET

Backlit ceramic air vent.

Cm 25x25	4017010	**195,00**

MULTI 12 VENTILATION OUTLET

1 pc.	4009010	**27,00**

BLADE VENTILATION OUTLET

Metal air outlet 99x6,1 cm	4011016	**36,00**
Metal air outlet 60x6,7 cm	4012066	**20,00**

LINE VENTILATION OUTLET

Metal air outlet 99x7,3 cm	4011017	**67,00**

COMFORT AIR HOOD FOR GAS GLASS-FRONTED FIREPLACES

FORMA GAS hood for the Comfort Air® system.

For Forma 55 Gas	4010006	**65,00**
For Forma 75 Gas	4010007	**70,00**
For Forma 95 Gas	4010008	**75,00**
For Forma 115 Gas	4010009	**80,00**

	VERSIONS AVAILABLE/CODE		€

BASIC FV VENTILATION KIT

Ventilation kit for standard connection to outlets positioned in the hood above the gas fireplace. The hood kit is completed by choosing 1 hot air outlet (mono, bi or multi-directional).

Complete kit	4010010	**290,00**

THE KIT INCLUDES:

FAN ASSEMBLY
(x1)

CONTROL UNIT
(x1)

FLEXIBLE PIPE
ø 100 mm - L=1.5 m
(x1)

FLANGE
ø 100 mm
(x1)

PIPE CLAMP
ø 60-170 mm
(x2)

FASTENING BRACKET ASSEMBLY
(x1)

MONO-DIRECTIONAL AIR OUTLET WITH HUMIDIFIER

Without light	4008021	**90,00**
With light	4008023	**215,00**

BI-DIRECTIONAL AIR OUTLET

	4008024	**77,00**

MULTI-DIRECTIONAL AIR OUTLET

	4008025	**27,00**

COMFORT AIR HOOD FOR GAS GLASS-FRONTED FIREPLACES

FORMA GAS hood for the Comfort Air® system.

For Forma 55 Gas	4010006	**65,00**
For Forma 75 Gas	4010007	**70,00**
For Forma 95 Gas	4010008	**75,00**
For Forma 115 Gas	4010009	**80,00**

VENTILATION GRILLE

99x5,2 cm	4008040	**22,00**

GENERAL SALES CONDITIONS

1 The prices are to be considered ex-works.

2 The goods are shipped at the purchasers risk and hazard, even if shipped free at destination.

3 The company reserves the right to make modifications to its models which it feels are necessary for functional or aesthetic reasons, even without advance notice.

4 Differences in colours, shades and grains must be accepted in that marble and stone, being natural materials, may undergo substantial variations even within the same specimen of material. This non-continuity in shades and grains is not to be considered a defect; even the gluing of marble and putty are to be considered normal working and are universally accepted. In claddings that call for solid wood beams, any fissures are not to be considered as manufacturing defects, but as normal settling of the wood. Ceramics may have indentations, speckling and shading. This particular characteristic of the material does not affect quality and is not to be considered a defect.

5 Any claims concerning stains or breakage will be accepted only if they are detected upon receipt and duly noted on the shipping documents.

6 Reasons different from those set forth in point 5 will be considered only if they are communicated in writing no later than eight days from receipt of goods.

7 Any material which is returned, only if in good condition and with the prior consent of MCZ GROUP S.p.A., will be accredited at 75% of the invoiced value.

8 The photographs of the claddings in the catalogue and the colours of the marble are purely indicative; claddings are provided up to the beam.

9 Modifications to standard claddings must be accepted by the company after a cost estimate and will be possible only if a drawing is presented.

10 Payment must be made to our location by the agreed due date. Failure to meet said payments will cause accrued interest to be charged at the current rate, plus expenses. Material, including that on display, shall remain our property until full payment is made.

11 In case of controversies, the Court of Pordenone shall have jurisdiction.

12 The prices shown in the price list do not include VAT.

13 Effective 1/8/2019.